

DEVIL'S GULCH, SAMUEL P. TAYLOR STATE PARK

Marin County

El. 140-1466 ft.

Includes mostly observations from the trail to the Stair-step Falls/ lower Bill's trail.

Original lists by Wilma Follette, Bob Allen, and Ken Howard for S. P. Taylor State Park.

This list consolidated from the CNPS field trips of 2/80, 3/97, 3/2000, last revised August 2012

| BOTANICAL NAME | COMMON NAME | NOTES |
|----------------|-------------|-------|
|----------------|-------------|-------|

AGAVACEAE (AGAVE FAMILY)

| | | |
|--|------------|--|
| <i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i> | Soap Plant | |
|--|------------|--|

ADOXACEAE (MOSCHATEL FAMILY)

| | | |
|--|----------------------|--|
| <i>Sambucus nigra</i> ssp. <i>caerulea</i> | Blueberry Elderberry | |
|--|----------------------|--|

ANACARDIACEAE (SUMAC OR CASHEW FAMILY)

| | | |
|-----------------------------------|------------|--|
| <i>Toxicodendron diversilobum</i> | Poison Oak | |
|-----------------------------------|------------|--|

APIACEAE (CELERY FAMILY)

| | | |
|----------------------------|-------------|---|
| <i>Anthriscus caucalis</i> | Bur Chervil | * |
|----------------------------|-------------|---|

| | | |
|-------------------------|----------------|---|
| <i>Conium maculatum</i> | Poison Hemlock | * |
|-------------------------|----------------|---|

| | | |
|--------------------------|-------------|--|
| <i>Heracleum maximum</i> | Cow Parsnip | |
|--------------------------|-------------|--|

| | | |
|---------------------------|--------------|--|
| <i>Osmorhiza berteroi</i> | Sweet Cicely | |
|---------------------------|--------------|--|

| | | |
|------------------------------|-----------------|--|
| <i>Sanicula crassicaulis</i> | Pacific Sanicle | |
|------------------------------|-----------------|--|

| | | |
|---------------------------|---------------|--|
| <i>Sanicula laciniata</i> | Coast Sanicle | |
|---------------------------|---------------|--|

| | | |
|-------------------------|---------------|---|
| <i>Torilis arvensis</i> | Hedge Parsley | * |
|-------------------------|---------------|---|

| | | |
|-----------------------|---------------|---|
| <i>Torilis nodosa</i> | Hedge Parsley | * |
|-----------------------|---------------|---|

APOCYNACEAE (DOGBANE FAMILY)

| | | |
|--------------------|------------|---|
| <i>Vinca major</i> | Periwinkle | * |
|--------------------|------------|---|

ARALIACEAE (GINSENG FAMILY)

| | | |
|---------------------------|------------|--|
| <i>Aralia californica</i> | Elk Clover | |
|---------------------------|------------|--|

| | | |
|---------------------|-------------|---|
| <i>Hedera helix</i> | English Ivy | * |
|---------------------|-------------|---|

ARISTOLOCHIACEAE (PIPEVINE FAMILY)

| | | |
|---------------------------------|----------------------|--|
| <i>Aristolochia californica</i> | California Pipe-vine | |
|---------------------------------|----------------------|--|

ASTERACEAE (SUNFLOWER FAMILY)

| | | |
|-----------------------------|--------|--|
| <i>Achillea millefolium</i> | Yarrow | |
|-----------------------------|--------|--|

| | | |
|----------------------------|-------------|--|
| <i>Adenocaulon bicolor</i> | Trail Plant | |
|----------------------------|-------------|--|

| | | |
|-----------------------------|------------------|--|
| <i>Agoseris grandiflora</i> | Native Dandelion | |
|-----------------------------|------------------|--|

| | | |
|-----------------------------|----------------|--|
| <i>Anisocarpus madiodes</i> | Woodland Madia | |
|-----------------------------|----------------|--|

| BOTANICAL NAME | COMMON NAME | NOTES |
|---|----------------------------|-------|
| <i>Artemisia douglasiana</i> | Douglas's Mugwort | |
| <i>Baccharis pilularis</i> var. <i>consanguinea</i> | Coyote Brush | |
| <i>Bellis perennis</i> | English-daisy | * |
| <i>Carduus pycnocephalus</i> | Italian Thistle | * |
| <i>Centaurea solstitialis</i> | Yellow Star-thistle | * |
| <i>Eriophyllum lanatum</i> var. <i>arachnoideum</i> | Woolly Sunflower | |
| <i>Eurybia radulina</i> | Broad-leaved Aster | |
| <i>Hemizonia congesta</i> ssp. <i>lutescens</i> | Yellow Hayfield Tarplant | |
| <i>Hieracium albiflorum</i> | White Hawkweed | |
| <i>Hypochaeris glabra</i> | Smooth Cat's-ear | * |
| <i>Hypochaeris radicata</i> | Hairy Cat's-ear | * |
| <i>Lapsana communis</i> | Nipplewort | * |
| <i>Logfia gallica</i> | French Cudweed | * |
| <i>Madia gracilis</i> | Slender Tarweed | |
| <i>Pseudognaphalium californicum</i> | Ca. Everlasting | |
| <i>Pseudognaphalium canescens</i> | Silver-leaved Cudweed | |
| <i>Psilocarphus tenellus</i> | Woolly Marbles | |
| <i>Senecio aronicoides</i> | Butterweed | |
| <i>Senecio minima</i> | Australian Fireweed | * |
| <i>Senecio vulgaris</i> | Common Groundsel | * |
| <i>Silybum marianum</i> | Milk Thistle | * |
| <i>Soliva sessilis</i> | Soliva | * |
| <i>Sonchus asper</i> | Prickly Sow Thistle | * |
| <i>Sonchus oleraceus</i> | Smooth Sow Thistle | * |
| <i>Taraxacum officinale</i> | European Dandelion | * |
| BETULACEAE (BIRCH FAMILY) | | |
| <i>Alnus rhombifolia</i> | White Alder | |
| <i>Corylus cornuta</i> ssp. <i>californica</i> | California Hazel | |
| BLECHNACEAE (DEER FERN FAMILY) | | |
| <i>Woodwardia fimbriata</i> | Western Chain Fern | |
| BORAGINACEAE (BORAGE FAMILY) | | |
| <i>Amsinckia menziesii</i> var. <i>intermedia</i> | Fiddle-neck | |
| <i>Cynoglossum grande</i> | Hound's Tongue | |
| <i>Myosotis latifolia</i> | Blue Forget-me-not | * |
| <i>Nemophila heterophylla</i> | White-flowered Shade-lover | |
| <i>Nemophila menziesii</i> var. <i>menziesii</i> | Baby-blue-eyes | |
| <i>Nemophila parviflora</i> var. <i>parviflora</i> | Woodland Nemophila | |
| <i>Plagiobothrys nothofulvus</i> | White Popcorn Flower | |

| BOTANICAL NAME | COMMON NAME | NOTES |
|--|--------------------------------|-------|
| <i>Romanzoffia californica</i> | Mist Maiden | |
| BRASSICACEAE (MUSTARD FAMILY) | | |
| <i>Barbarea verna</i> | Winter Cress | * |
| <i>Brassica rapa</i> | Field Mustard | * |
| <i>Capsella bursa-pastoris</i> | Shepherd's Purse | * |
| <i>Cardamine californica</i> var. <i>californica</i> | Milk Maids | |
| <i>Cardamine oligosperma</i> | Bitter-cress | |
| <i>Coronopus didymus</i> | Wart Cress | * |
| <i>Draba verna</i> | Whitlow Grass | * |
| <i>Hirschfeldia incana</i> | Summer Mustard | * |
| <i>Lepidium nitidum</i> var. <i>nitidum</i> | Early Peppergrass | |
| <i>Lepidium strictum</i> | Peppergrass | * |
| <i>Nasturtium officinale</i> | Watercress | * |
| <i>Raphanus sativus</i> | Wild Radish | * |
| <i>Sisymbrium officinale</i> | Hedge Mustard | * |
| CAPRIFOLIACEAE (HONEYSUCKLE FAMILY) | | |
| <i>Lonicera hispidula</i> | California Pink Honeysuckle | |
| <i>Lonicera involucrata</i> var. <i>ledebourii</i> | Twinberry Honeysuckle | |
| <i>Symphoricarpos albus</i> var. <i>laevigatus</i> | Streamside Snowberry | |
| <i>Symphoricarpos mollis</i> | Short-snowberry bush | |
| CARYOPHYLLACEAE (PINK FAMILY) | | |
| <i>Cerastium fontanum</i> ssp. <i>vulgare</i> | Perennial Mouse-ear Chickweed* | |
| <i>Cerastium glomeratum</i> | Annual Mouse-ear Chickweed | * |
| <i>Silene gallica</i> | Windmill Pink | * |
| <i>Spergula arvensis</i> | Corn Spurrey | * |
| <i>Spergularia rubra</i> | Sand Spurrey | * |
| <i>Stellaria media</i> | Chickweed | * |
| CHENOPODIACEAE (GOOSEFOOT FAMILY) | | |
| <i>Chenopodium album</i> | Lamb's Quarters | * |
| CONVOLVULACEAE (BINDWEED FAMILY) | | |
| <i>Calystegia purpurata</i> ssp. <i>purpurata</i> | Morning-glory | |
| <i>Convolvulus arvensis</i> | Bindweed | * |
| CORNACEAE (DOGWOOD FAMILY) | | |
| <i>Cornus sericea</i> ssp. <i>sericea</i> | Creek Dogwood | |
| CRASSULACEAE (STONECROP FAMILY) | | |

| BOTANICAL NAME | COMMON NAME | NOTES |
|--|------------------------|-------|
| <i>Crassula connata</i> | tiny stonecrop | |
| <i>Sedum spathulifolium</i> | Spoon-leaved Stonecrop | |
| CUCURBITACEAE (CUCUMBER FAMILY) | | |
| <i>Marah fabacea</i> | Green-flowered Manroot | |
| <i>Marah oregana</i> | White-flowered Manroot | |
| CYPERACEAE (SEDGE FAMILY) | | |
| <i>Carex globosa</i> | Woodland Sedge | |
| <i>Carex nudata</i> | Torrent Sedge | |
| <i>Cyperus eragrostis</i> | Umbrella Sedge | |
| DENNSTAEDTIACEAE (BRACKEN FAMILY) | | |
| <i>Pteridium aquilinum</i> var. <i>pubescens</i> | Bracken Fern | |
| DRYOPTERIDACEAE (WOOD FERN FAMILY) | | |
| <i>Cystopteris fragilis</i> | Brittle Fern | |
| <i>Dryopteris arguta</i> | Coastal Wood Fern | |
| <i>Polystichum munitum</i> | Western Sword Fern | |
| ERICACEAE (HEATH FAMILY) | | |
| <i>Arbutus menziesii</i> | Madrone | |
| EUPHORBIACEAE (SPURGE FAMILY) | | |
| <i>Euphorbia peplus</i> | Petty Spurge | * |
| FABACEAE (FAVA BEAN FAMILY) | | |
| <i>Acmispon wranglianus</i> | Calf Lotus | |
| <i>Genista monspessulana</i> | French Broom | * |
| <i>Lathyrus vestitus</i> var. <i>vestitus</i> | Hillside Sweet-pea | |
| <i>Lupinus bicolor</i> | Miniature Lupine | |
| <i>Lupinus latifolius</i> var. <i>latifolius</i> | Broad-leaved Lupine | |
| <i>Medicago arabica</i> | Spotted Medick | * |
| <i>Medicago polymorpha</i> | Bur Clover | * |
| <i>Trifolium bifidum</i> | Notched-leaf Clover | |
| <i>Trifolium ciliolatum</i> | Tree Clover | |
| <i>Trifolium depauperatum</i> var. <i>amplectens</i> | Balloon Clover | |
| <i>Trifolium dubium</i> | Shamrock | * |
| <i>Trifolium glomeratum</i> | Knobby Clover | * |
| <i>Trifolium gracilentum</i> var. <i>gracilentum</i> | Pin-point Clover | |
| <i>Trifolium hirtum</i> | Rose Clove | * |
| <i>Trifolium microcephalum</i> | Maiden Clover | |
| <i>Trifolium microdon</i> | Toothed-cup Clover | |

| BOTANICAL NAME | COMMON NAME | NOTES |
|---|------------------------|-------|
| <i>Trifolium subterraneum</i> | Subterranean Clover | * |
| <i>Trifolium willdenovii</i> | Tomcat Clover | |
| <i>Vicia americana</i> | American Vetch | |
| <i>Vicia sativa</i> ssp. <i>sativa</i> | European Vetch | |
| <i>Vicia villosa</i> ssp. <i>varia</i> | Blue-purple Vetch | * |
| FAGACEAE (OAK FAMILY) | | |
| <i>Quercus agrifolia</i> var. <i>agrifolia</i> | Coast Live Oak | |
| <i>Quercus chrysolepis</i> | Canyon Live Oak | |
| GERANIACEAE (GERANIUM FAMILY) | | |
| <i>Erodium botrys</i> | Broad-leaf Filaree | * |
| <i>Erodium brachycarpum</i> | Short-fruit Filaree | |
| <i>Erodium cicutarium</i> | Red-stem Filaree | * |
| <i>Erodium moschatum</i> | Green-stem Filaree | |
| <i>Geranium core-core</i> | New Zealand Cranesbill | * |
| <i>Geranium dissectum</i> | Cut-leaved Cranesbill | * |
| <i>Geranium molle</i> | Soft Cranesbill | * |
| GROSSULARIACEAE (GOOSEBERRY FAMILY) | | |
| <i>Ribes divaricatum</i> var. <i>pubiflorum</i> | Straggly Gooseberry | |
| <i>Ribes menziesii</i> | Canyon Gooseberry | |
| <i>Ribes sanguineum</i> var. <i>glutinosum</i> | Pink Flowering Currant | |
| IRIDACEAE (IRIS FAMILY) | | |
| <i>Iris douglasiana</i> var. <i>major</i> | Douglas Iris | |
| <i>Romulea rosea</i> ssp. <i>australis</i> | Pink S. African Crocus | * |
| <i>Sisyrinchium bellum</i> | Blue-eyed Grass | |
| JUNCACEAE (RUSH FAMILY) | | |
| <i>Juncus bufonius</i> var. <i>bufonius</i> | Toad Rush | |
| <i>Juncus effusus</i> | Green Rush | |
| <i>Juncus patens</i> | Blue-green Rush | |
| <i>Juncus xiphioides</i> | Iris-leaved Rush | |
| <i>Luzula comosa</i> | Wood-rush | |
| LAMIACEAE (MINT FAMILY) | | |
| <i>Clinopodium douglasii</i> | Yerba Buena | |
| <i>Lamium amplexicaule</i> | Clasping Henbit | * |
| <i>Mentha pulegium</i> | European Pennyroyal | * |
| <i>Scutellaria californica</i> | White Skull-cap | |
| <i>Stachys rigida</i> var. <i>quercetorum</i> | Woodland Hedge Nettle | |

| BOTANICAL NAME | COMMON NAME | NOTES |
|---|-----------------------------|-------|
| LAURACEAE (LAUREL FAMILY) | | |
| <i>Umbellularia californica</i> | California Bay Laurel | |
| LILIACEAE (LILY FAMILY) | | |
| <i>Prosartes hookeri</i> | Green Fairy-bells | |
| <i>Fritillaria affinis</i> var. <i>affinis</i> | Mission Bells | |
| <i>Scoliopus bigelovii</i> | Fetid Adder's Tongue | |
| MALVACEAE (MALLOW FAMILY) | | |
| <i>Sidalcea malviflora</i> ssp. <i>laciniata</i> | Tall Checkerbloom | |
| MELANTHIACEAE (ZIGADENE FAMILY) | | |
| <i>Trillium chloropetalum</i> | Sessile-flowered Wake-robin | |
| <i>Trillium ovatum</i> ssp. <i>ovatum</i> | White Wake-robin | |
| MONTIACEAE (MINERS-LETTUCE FAMILY) | | |
| <i>Calandrinia ciliata</i> | Red Maids | |
| <i>Claytonia perfoliata</i> ssp. <i>perfoliata</i> | Broadleaf Miner's Lettuce | |
| <i>Montia fontana</i> | Water Chickweed | |
| MYRTACEAE (MYRTLE FAMILY) | | |
| <i>Eucalyptus globulus</i> | Blue-gum Eucalyptus | * |
| MYRSINACEAE (MYRSINE /PIMPERNEL FAMILY) | | |
| <i>Anagallis arvensis</i> | Scarlet Pimpernel | * |
| <i>Trientalis latifolia</i> | Star-flower | |
| OLEACEAE (OLIVE FAMILY) | | |
| <i>Fraxinus latifolia</i> | Oregon Ash | |
| ONAGRACEAE (EVENING-PRIMROSE FAMILY) | | |
| <i>Circaea alpina</i> ssp. <i>pacifica</i> | Enchanter's Nightshade | |
| <i>Clarkia purpurea</i> ssp. <i>quadrivulnera</i> | Wine-cup Clarkia | |
| <i>Epilobium ciliatum</i> ssp. <i>ciliatum</i> | Northern Willow Herb | |
| ORCHIDACEAE (ORCHID FAMILY) | | |
| <i>Calypso bulbosa</i> | Fairy Slipper Orchid | |
| <i>Corallorhiza maculata</i> var. <i>maculata</i> | Spotted Coralroot | |
| <i>Corallorhiza maculata</i> var. <i>occidentalis</i> | Non-spotted Coralroot | |
| <i>Corallorhiza striata</i> | Striped Coralroot | |

| BOTANICAL NAME | COMMON NAME | NOTES |
|--------------------------------------|--------------------------|----------|
| OROBANCHACEAE | | |
| Triphysaria pusilla | Dwarf Owl's-clover | |
| OXALIDACEAE (WOOD-SORREL FAMILY) | | |
| Oxalis pilosa | Yellow Oxalis | |
| Oxalis oregana | Wood Sorrel | |
| PAPAVERACEAE (POPPY FAMILY) | | |
| Dicentra formosa | Pink Bleeding Heart | |
| Eschscholzia californica | California Poppy | |
| Platystemon californicus | Cream-cup | |
| PHRYMACEAE (LOPSEED FAMILY) | | |
| Mimulus aurantiacus | Bush Monkey-flower | |
| Mimulus cardinalis | Red Monkey-flower | |
| Mimulus guttatus | Common Monkey-flower | |
| PINACEAE (PINE FAMILY) | | |
| Pseudotsuga menziesii var. menziesii | Douglas-Fir | |
| PLANTAGINACEAE (PLANTAIN FAMILY) | | |
| Plantago erecta | Dwarf Plantain | |
| Plantago lanceolata | Ribwort | * |
| Plantago major | Common Plantain | * |
| Veronica americana | American Brooklime | |
| Veronica persica | Persian Speedwell | * |
| POACEAE (GRASS FAMILY) | | |
| Aira caryophylla | Silver Hair Grass | * |
| Anthoxanthum occidentale | Vanilla Grass | |
| Avena barbata | Slim Oat | * |
| Briza minima | Little Rattlesnake Grass | * |
| Bromus carinatus | California Brome | |
| Bromus hordeaceus | Soft Chess | * |
| Bromus laevipes | Woodland Brome Grass | |
| Cynosurus echinatus | Dogtail Grass | * |
| Dactylis glomerata | Orchard Grass | * |
| Deschampsia elongata | Slender Hairgrass | |
| Ehrharta erecta | Veldt Grass | * |
| Elymus californicus | Calif. Bottlebrush Grass | LIST 4.3 |
| Elymus glaucus ssp. glaucus | Blue Wild-rye | |

| BOTANICAL NAME | COMMON NAME | NOTES |
|---|----------------------------|-------|
| <i>Festuca perennis</i> | Perennial Ryegrass | * |
| <i>Gastridium phleoides</i> | Nitgrass | * |
| <i>Holcus lanatus</i> | Velvet Grass | * |
| <i>Hordeum marinum</i> ssp. <i>gusseanum</i> | Mediterranean Barley | * |
| <i>Hordeum murinum</i> ssp. <i>leporinum</i> | Farmer's Foxtail | * |
| <i>Melica subulata</i> | Alaska Oniongrass | |
| <i>Melica torreyana</i> | Torrey's Melicgrass | |
| <i>Phalaris paradoxa</i> | Canarygrass | * |
| <i>Poa annua</i> | Annual Bluegrass | * |
| <i>Poa bulbosa</i> | Proliferous Bluegrass | * |
| <i>Poa pratensis</i> ssp. <i>pratensis</i> | Kentucky Bluegrass | * |
| <i>Stipa pulchra</i> | Purple Needlegrass | |
| POLEMONIACEAE (PHLOX FAMILY) | | |
| <i>Collomia heterophylla</i> | Pink Collomia | |
| POLYGONACEAE (BUCKWHEAT FAMILY) | | |
| <i>Eriogonum nudum</i> var. <i>nudum</i> | Nude Buckwheat | |
| <i>Polygonum arenastrum</i> | Dooryard Knotweed | * |
| <i>Rumex acetosella</i> | Sheep Sorrel | * |
| <i>Rumex crispus</i> | Curly Dock | * |
| <i>Rumex salicifolius</i> | Willow-leaved Dock | |
| POLYPODIACEAE (POLYPODY FAMILY) | | |
| <i>Polypodium calirhiza</i> | California Polypody | |
| PTERIDACEAE (BRAKE FAMILY) | | |
| <i>Adiantum aleuticum</i> | Five-finger Fern | |
| <i>Adiantum jordanii</i> | California Maidenhair Fern | |
| <i>Pellaea andromedifolia</i> | Coffee Fern | |
| <i>Pentagramma triangularis</i> | Goldback Fern | |
| RANUNCULACEAE (BUTTERCUP FAMILY) | | |
| <i>Actaea rubra</i> | Red-berry Baneberry | |
| <i>Aquilegia formosa</i> | Columbine | |
| <i>Ranunculus californicus</i> | California Buttercup | |
| <i>Ranunculus muricatus</i> | Prickle-fruit Buttercup | * |
| <i>Thalictrum fendleri</i> var. <i>polycarpum</i> | Meadow-rue | |
| RHAMNACEAE (BUCKTHORN FAMILY) | | |
| <i>Ceanothus thyrsiflorus</i> | Blue-blossom | |
| <i>Frangula californica</i> ssp. <i>californica</i> | Coffee Berry | |

| BOTANICAL NAME | COMMON NAME | NOTES |
|---|--------------------------|-------|
| <i>Rhamnus crocea</i> | Redberry | |
| ROSACEAE (ROSE FAMILY) | | |
| <i>Adenostoma fasciculatum</i> | Chamise | |
| <i>Aphanes arvensis</i> | Lady's Mantle | * |
| <i>Fragaria vesca</i> | Wild Strawberry | |
| <i>Heteromeles arbutifolia</i> | Toyon | |
| <i>Holodiscus discolor</i> | Oceanspray, Creambush | |
| <i>Malus pumila</i> | Orchard Apple | * |
| <i>Oemleria cerasiformis</i> | Osoberry | |
| <i>Physocarpus capitatus</i> | Ninebark | |
| <i>Prunus cerasifera</i> | Cherry-plum | * |
| <i>Pyracantha</i> sp. | Firethorn | * |
| <i>Rosa gymnocarpa</i> | Wood Rose | |
| <i>Rubus armeniacus</i> | Himalaya-berry | * |
| <i>Rubus parviflorus</i> | Thimbleberry | |
| <i>Rubus ursinus</i> | California Blackberry | |
| RUBIACEAE (MADDER FAMILY) | | |
| <i>Galium aparine</i> | Goose Grass | * |
| <i>Galium porrigens</i> var. <i>porrigens</i> | Climbing Bedstraw | |
| <i>Galium triflorum</i> | Vanilla-scented Bedstraw | |
| <i>Sherardia arvensis</i> | Field Madder | * |
| RUSCACEAE (BUTCHER"S-BROOM FAMILY) | | |
| <i>Maianthemum racemosum</i> | Fat Solomon | |
| <i>Maianthemum stellatum</i> | Slim Solomon | |
| SALICACEAE (WILLOW FAMILY) | | |
| <i>Salix lasiolepis</i> | Common Arroyo Willow | |
| <i>Salix lasiandra</i> ssp. <i>lasiandra</i> | Yellow Willow | |
| SAPINDACEAE (SOAPBERRY FAMILY) | | |
| <i>Acer macrophyllum</i> | Big-leaf Maple | |
| <i>Aesculus californica</i> | California Buckeye | |
| SAXIFRAGACEAE (SAXIFRAGE FAMILY) | | |
| <i>Boykinia occidentalis</i> | Brook Foam | |
| <i>Heuchera micrantha</i> | Alum-root | |
| <i>Lithophragma affine</i> | Woodland Star | |
| <i>Lithophragma heterophyllum</i> | Woodland Star | |
| <i>Tellima grandiflora</i> | Fringe-cups | |

| BOTANICAL NAME | COMMON NAME | NOTES |
|---|--|-----------|
| SCROPHULARIACEAE (FIGWORT FAMILY) <i>Scrophularia californica</i> ssp. <i>californica</i> | Bee-plant | |
| SELAGINACEAE (MOSS-FERN FAMILY) <i>Selaginella wallacei</i> | Wallace's Moss-fern | |
| SOLANACEAE (NIGHTSHADE FAMILY) <i>Solanum americanum</i> <i>Solanum xanti</i> | Black Nightshade Purple Nightshade | * |
| TAXACEAE (YEW FAMILY) <i>Torreya californica</i> | California-nutmeg | |
| TAXODIACEAE (BALD CYPRESS FAMILY) <i>Sequoia sempervirens</i> | Coast Redwood | |
| THEMIDACEAE (BRODIAEA FAMILY) <i>Brodiaea elegans</i> <i>Dichelostemma capitatum</i> ssp. <i>capitatum</i> <i>Triteleia laxa</i> | Harvest Brodiaea Blue Dicks Ithuriel's Spear | |
| THYMELAEACEAE (DAPHNE FAMILY) <i>Dirca occidentalis</i> | Western Leatherwood | LIST 1B.2 |
| URTICACEAE (NETTLE FAMILY) <i>Urtica dioica</i> ssp. <i>holosericea</i> <i>Urtica urens</i> | Stinging Nettle Small Stinging Nettle | * |
| VALERIANACEAE (VALERIAN FAMILY) <i>Plectritis congesta</i> ssp. <i>brachystemon</i> | Common Western Corn-salad | |
| VIOLACEAE (VIOLET FAMILY) <i>Viola glabella</i> <i>Viola sempervirens</i> | Stream Violet Evergreen Violet | |
| WOODSIACEAE (WOODSIA FERN FAMILY) <i>Athyrium filix-femina</i> var. <i>cyclosum</i> | Coastal Lady Fern | |

Plant names are mostly as given in the 2012 JEPSON MANUAL

* = non- native to site (i.e. introduced or planted)

LIST 1B = listed in the 2008 CNPS INVENTORY OF RARE AND ENDANGERED VASCULAR PLANTS OF CALIFORNIA as "rare and endangered (plants of highest priority)"

LIST 3 = listed in the above INVENTORY as "plants about which we need more information"

BOTANICAL NAME

COMMON NAME

NOTES

LIST 4 = listed in the above INVENTORY as “plants of limited distribution (a watch list)”