

PT. REYES PENINSULA: A VASCULAR PLANT SPECIES CHECKLIST;

All known references checked and combined with original lists. The Tomales Bay State Park spp. are included, but not the Nicasio Ridge and Tocaloma areas. Some non-documented taxa are included. This list was started to be revised in June 2013: June. 2016, my last update, Nov. 2019. There are 23 pages. The list was compiled by Doreen Smith with input from other local botanists. It's an update of the previous checklist started in 1990 by Gary Fellers of NPS Pt. Reyes.

This update June 2020

ADOXACEAE (MOSCHATEL FAMILY)

Sambucus nigra ssp. *caerulea* blue-berried elder
Sambucus racemosa var. *racemosa* red-berried elder

AGAVACEAE (AGAVE FAMILY)

Agave americana century plant *

Camassia quamash ssp. *breviflora* small-flowered camas lily

Chlorogalum pomeridianum var. *divaricatum* coastal strawlily

Chlorogalum pomeridianum var. *pomeridianum* straw-lily, soap plant

Phormium tenax New Zealand-flax *

AIZOACEAE (FIG-MARIGOLD FAMILY)

Aptenia cordifolia red-heart succulent *

Carpobrotus chilensis sea- fig *

Carpobrotus edulis Hottentot- fig *

Conicosia pugioniformis yellow iceplant *

Drosanthemum floribundum pale pink iceplant *

Tetragonia tetragonioides New Zealand- spinach *

ALISMATACEAE (WATER-PLANTAIN FAMILY)

Alisma lanceolatum tall water- plantain *

Alisma triviale small water- plantain

Sagittaria rigida annual arrowhead (old record) *

ALLIACEAE (ONION FAMILY)

Allium dichlamydeum coast onion

Allium schoenoprasum elephant garlic, wild leek *

Allium triquetrum European wild onion *

Allium unifolium pink-flowered onion

AMARYLLIDACEAE (DAFFODIL FAMILY)

Amaryllis belladonna belladonna lily, naked ladies *

Narcissus tazetta paper-white narcissus *

Narcissus pseudo-narcissus narcissus, daffodils *

ANACARDIACEAE (SUMAC FAMILY)

Toxicodendron diversilobum poison- oak

APIACEAE (CELERY FAMILY)

Angelica hendersonii coastal angelica

Anisocarpus madioides woodland madia

Anthriscus caucalis bur- chervil *

Apium graveolens wild celery *

Berula erecta water parsnip (new add. 2016)

Cicuta douglasii water hemlock

Cicuta maculata var. *bolanderi* coastal water hemlock

Conium maculatum poison hemlock *

Daucus carota carrot *

Daucus pusillus rattlesnake weed

Eryngium armatum coyote- thistle

Foeniculum vulgare sweet fennel *

| | | |
|--|--|----------|
| Heracleum maximum | cow parsnip | |
| Ligusticum apiifolium | celery-leaved lovage | |
| Lilaeopsis occidentalis | false flowering-quillwort | |
| Lomatium dasycarpum ssp. dasycarpum | hairy-petal hog fennel | |
| Lomatium utriculatum | spring gold | |
| Oenanthe sarmentosa | water parsley | |
| Osmorhiza berteroi | sweet cicely | |
| Perideridia gairdneri ssp. gairdneri | Gairdner's yampah | LIST 4.2 |
| Perideridia kelloggii | Kellogg's yampah | |
| Sanicula arctopoides | footsteps-of-spring | |
| Sanicula bipinnatifida | red-purple sanicle | |
| Sanicula crassicaulis | Pacific sanicle, snakeroot | |
| Sanicula laciniata | lace-leaf sanicle | |
| Scandix pecten-veneris | shepherd's needle | * |
| Torilis arvensis | hedge parsley | * |
| Torilis nodosa | hedge parsley | * |
| APOCYNACEAE (DOGBANE FAMILY) | | |
| Vinca major | big periwinkle | * |
| AQUIFOLIACEAE (HOLLY FAMILY) | | |
| Ilex aquifolium | English holly | * |
| ARACEAE (CALLA FAMILY) | | |
| Lysichiton americanum | yellow skunk cabbage | |
| Zantedeschia aethiopica | common calla | * |
| ARALIACEAE (ARALIA FAMILY) | | |
| Aralia californica | elk- clover | |
| Hedera helix | English ivy | * |
| Hydrocotyle ranunculoides | marsh pennywort | |
| Hydrocotyle verticillata | peltate marsh pennywort | |
| ARISTOLOCHIACEAE (BIRTHWORT FAMILY) | | |
| Aristolochia californica | pipevine (Inverness) | |
| Asarum caudatum | wild- ginger | |
| ASCLEPIADACEAE (MILKWEED FAMILY) | | |
| Asclepias speciosa | showy milkweed (planted at Kule Loklo) | * |
| ASPHODELACEAE (ASPHODEL FAMILY) | | |
| Aloe sp. | red-flowered aloe (E. of Lighthouse) | * |
| Kniphofia uvaria | redhot poker | |
| ASTERACEAE (ASTER FAMILY) | | |
| Achillea millefolium | yarrow | |
| Adenocaulon bicolor | trail marker | |
| Agoseris apargioides var. eastwoodiae | Northern dune dandelion | |
| Agoseris grandiflora | mountain dandelion | |
| Agoseris hirsuta | grassland dandelion (Palomarin) | |
| Ambrosia chamissonis | silver-leaved beachbur | |
| Anaphalis margaritacea | pearly everlasting | |
| Anisocarpus madioides | woodland madia | |
| Anthemis cotula | mayweed | * |
| Arctotheca calendula | capeweed | * |
| Artemisia californica | California sagebrush | |
| Artemisia douglasiana | California mugwort | |
| Artemisia pycnocephala | dune sagebrush | |
| Baccharis glutinosa | marsh baccharis | |
| Baccharis pilularis var. consanguinea | tall coyote brush | |
| Baccharis pilularis var. pilularis | prostrate coyote brush | |

| | | |
|---|--|-----------|
| <i>Bellis perennis</i> | English daisy | * |
| <i>Bidens laevis</i> | bur marigold | |
| <i>Blennosperma nanum</i> var. <i>robustum</i> | Pt. Reyes blennosperma | LIST 1B.2 |
| <i>Calendula arvensis</i> | wild marigold | * |
| <i>Carduus acanthoides</i> | giant plumeless thistle | * |
| <i>Carduus pycnocephalus</i> | Italian thistle | * |
| <i>Carduus tenuiflorus</i> | robust Italian thistle | * |
| <i>Carthamus lanatus</i> | Woolly dstaff thistle | * |
| <i>Centaurea calcitrapa</i> | Purple star thistle | |
| <i>Centaurea melitensis</i> | Napa-thistle | * |
| <i>Centaurea solstitialis</i> | yellow star-thistle | * |
| <i>Chrysanthemum segetum</i> | corn marigold | * |
| <i>Cichorium intybus</i> | chicory | * |
| <i>Cirsium andrewsii</i> | Franciscan thistle | LIST 1B.2 |
| <i>Cirsium brevistylum</i> | Indian thistle | |
| <i>Cirsium occidentale</i> var. <i>occidentale</i> | cobweb thistle | |
| <i>Cirsium quercetorum</i> | brownie thistle | |
| <i>Cirsium vulgare</i> | bull thistle | * |
| <i>Cirsium</i> "X " | hybrid native thistles | |
| <i>Corethrogyne filaginifolia</i> | silver-leaved sand-aster | |
| <i>Cotula australis</i> | green buttons | * |
| <i>Cotula coronopifolia</i> | brass buttons | * |
| <i>Crepis capillaris</i> | hawksbeard | * |
| <i>Deinandra corymbosa</i> | fragrant tarplant | |
| <i>Delairea odorata</i> | cape- ivy | * |
| <i>Ericameria ericoides</i> | goldenbush | |
| <i>Erigeron bonariensis</i> | purple horseweed | * |
| <i>Erigeron canadensis</i> | Canadian horseweed | |
| <i>Erigeron sumatrensis</i> | hairy horseweed | * |
| <i>Erigeron foliosus</i> var. <i>franciscensis</i> | leafy- daisy | |
| <i>Erigeron glaucus</i> | seaside daisy | |
| <i>Erigeron karvinskianus</i> | Santa Barbara daisy | * |
| <i>Erigeron supplex</i> | supple daisy | LIST 1B.2 |
| <i>Eriophyllum lanatum</i> var. <i>arachnoideum</i> | woolly sunflower | |
| <i>Eriophyllum staechadifolium</i> | lizard-tail | |
| <i>Eurybia radulina</i> | broad-leaved aster | |
| <i>Euthamia occidentalis</i> | western grass-leaved goldenrod | |
| <i>Gamochaeta ustulata</i> | silver-leaved cudweed | |
| <i>Glebionis segetum</i> | corn chrysanthemum | * |
| <i>Gnaphalium palustre</i> | marsh cudweed | |
| " <i>Grindelia hirsutula</i> var. <i>maritima</i> " | San Francisco gumplant | LIST 1B.2 |
| <i>Grindelia stricta</i> var. <i>angustifolia</i> | saltmarsh gumplant | |
| <i>Grindelia stricta</i> var. <i>platyphylla</i> | dune and bluff gumplant | |
| <i>Hedypnois cretica</i> | Cretan dandelion | * |
| <i>Helenium puberulum</i> | sneezeweed, rosilla | |
| <i>Helminthotheca echioides</i> | bristly ox-tongue | |
| <i>Hemizonia congesta</i> ssp. <i>congesta</i> | white-flowered tarplant (Bolinás mesa) | LIST 1B.2 |
| <i>Hemizonia congesta</i> ssp. <i>lutescens</i> | yellow hayfield tarplant | |
| <i>Hesperis matronalis</i> var. <i>brevifolia</i> | coastal small-leaved evax | LIST 1B.2 |
| <i>Heterotheca sessiliflora</i> var. <i>bolanderi</i> | golden-aster | |
| <i>Hieracium albiflorum</i> | woodland hawkweed | |
| <i>Hypochaeris glabra</i> | smooth cat's-ear | * |
| <i>Hypochaeris radicata</i> | hairy cat's-ear | * |
| <i>Jaumea carnosa</i> | fleshy jaumea | |
| <i>Lactuca biennis</i> | blue-flowered lettuce | * |
| <i>Lactuca saligna</i> | willowleaf lettuce | * |
| <i>Lactuca serriola</i> | prickly lettuce | * |
| <i>Lapsana communis</i> | nipplewort | * |
| <i>Lasthenia californica</i> var. <i>bakeri</i> | narrow-leaved perennial goldfields | LIST 1B.2 |
| <i>Lasthenia californica</i> ssp. <i>californica</i> | small goldfields | |
| <i>Lasthenia californica</i> ssp. <i>macrantha</i> | wide-leaved perennial goldfields | LIST 1B.2 |

| | | |
|--|---|-----------|
| <i>Lasthenia maritima</i> | offshore-rock goldfields (tip of Tomales Point) | |
| <i>Lasthenia minor</i> | dune goldfields | |
| <i>Layia carnosa</i> | fleshy layia | LIST 1B.1 |
| <i>Layia platyglossa</i> | tidytips | |
| <i>Leontodon saxatilis</i> | hawkbit dandelion | * |
| <i>Leucanthemum maximum</i> | Shasta daisy | * |
| <i>Leucanthemum vulgare</i> | ox-eye daisy | * |
| <i>Logfia gallica</i> | French cudweed | |
| <i>Madia elegans</i> | tall madia | |
| <i>Madia gracilis</i> | slender sweet-smelling tarplant | |
| <i>Madia sativa</i> | tall ill-smelling tarplant | * |
| <i>Matricaria discoidea</i> | pineapple weed | * |
| <i>Micropus californicus</i> | cotton top, Q-tips | |
| <i>Microseris bigelovii</i> | coast microseris | |
| <i>Microseris paludosa</i> | marsh microseris | LIST 1B.2 |
| <i>Pseudognaphalium californicum</i> | California everlasting | |
| <i>Pseudognaphalium beneolens</i> | silver cudweed | |
| <i>Pseudognaphalium luteoalbum</i> | weedy cudweed | * |
| <i>Pseudognaphalium ramosissimum</i> | pink cudweed | |
| <i>Pseudognaphalium stramineum</i> | cotton-batting plant | |
| <i>Psilocarphus chilensis</i> | round-leaved woolly marbles | |
| <i>Psilocarphus tenellus</i> | common woolly marbles | |
| <i>Rafinesquia californica</i> | California chicory | |
| <i>Senecio aronicoides</i> | butterweed | |
| <i>Senecio glomerata</i> | Australian fireweed | * |
| <i>Senecio minima</i> | Australian fireweed | * |
| <i>Senecio sylvaticus</i> | rayed groundsel | * |
| <i>Senecio vulgaris</i> | common groundsel | * |
| <i>Silybum marianum</i> | milk thistle | * |
| <i>Solidago velutina</i> ssp. <i>californica</i> | Ca. goldenrod | |
| <i>Solidago elongata</i> | Canada goldenrod | |
| <i>Solidago spathulata</i> | spoonleaf goldenrod | |
| <i>Soliva sessilis</i> | soliva | * |
| <i>Sonchus asper</i> | prickly sow-thistle | * |
| <i>Sonchus oleraceus</i> | smooth sow- thistle | * |
| <i>Stebbinsoseris</i> sp. | hybrid dandelion poss. <i>S. decipiens</i> | |
| <i>Stephanomeria virgata</i> | twiggy wreath | |
| <i>Symphyotrichum chilense</i> | coast aster | |
| <i>Symphyotrichum subspicatum</i> | early aster | |
| <i>Tanacetum parthenium</i> | feverfew | * |
| <i>Taraxacum officinale</i> | European dandelion | * |
| <i>Tolpis barbata</i> | umbrella milkwort | * |
| <i>Uropappus lindleyi</i> | silverpuffs | |
| <i>Wyethia angustifolia</i> | narrow-leaved mule's-ears | |
| <i>Xanthium spinosum</i> | spiny cocklebur | * |
| AZOLLACEAE (MOSQUITO FERN FAMILY) | | |
| <i>Azolla filiculoides</i> | mosquito fern | |
| BALSAMINACEAE (BALSAM FAMILY) | | |
| <i>Impatiens balfourii</i> | Kashmir balsam | * |
| <i>Impatiens glandulifera</i> | Himalayan balsam | * |
| BERBERIDACEAE (BARBERRY FAMILY) | | |
| <i>Berberis darwinii</i> | Darwin's barberry | * |
| <i>Berberis pinnata</i> ssp. <i>pinnata</i> | Oregon-grape | |
| BETULACEAE (BIRCH FAMILY) | | |
| <i>Alnus rhombifolia</i> | white alder (planted, Heart's Desire Beach) * | |
| <i>Alnus rubra</i> | red alder | |
| <i>Corylus cornuta</i> ssp. <i>californica</i> | hazelnut | |

| | | |
|--|--|-----------|
| Populus spp. | poplar, cottonwood, planted | * |
| BLECHNACEAE (DEER-FERN FAMILY) | | |
| Blechnum spicant | hard fern | |
| Woodwardia fimbriata | chain fern | |
| BORAGINACEAE (BORAGE FAMILY) | | |
| Amsinckia intermedia | common fiddleneck | |
| Amsinckia spectabilis var. spectabilis | coast fiddleneck | |
| Cryptantha leiocarpa | sand-flat cryptantha | |
| Cryptantha micromeres | small cryptantha | |
| Cynoglossum grande | hound's tongue | |
| Echium candicans | pride of Madeira | * |
| Eriodictyon californicum | Yerba Santa | |
| Heliotropium curassavicum | sand-flat heliotrope | |
| Myosotis discolor | color-change forget-me-not | * |
| Myosotis latifolia | African forget-me not | * |
| Nemophila heterophylla | small-flowered white nemophila | |
| Nemophila menziesii var. atomaria | baby-white-eyes | |
| Nemophila menziesii var. menziesii | baby-blue-eyes | |
| Nemophila parviflora var. parviflora | tiny-flowered nemophila | |
| Phacelia californica | California perennial phacelia | |
| Phacelia distans | fern leaved phacelia | |
| Phacelia insularis var. continentis | north coast phacelia | LIST 1B.2 |
| Phacelia malvifolia | stinging phacelia | |
| Phacelia tanacetifolia | tansyleaf phacelia (planted nr. Inverness) | * |
| Plagiobothrys bracteatus | white wetland forget-me-not | |
| Plagiobothrys chorisianus var. chorisianus | Choris's popcorn-flower (Bolas mesa?) | LIST 1B.2 |
| Plagiobothrys reticulatus var. rossianorum | popcorn flower | |
| Plagiobothrys trachycarpus | grassland popcorn flower | |
| BRASSICACEAE (MUSTARD FAMILY) | | |
| Arabis blepharophylla | coast rock-cress | LIST 4.3 |
| Barbarea orthoceras | wintercress | |
| Barbarea verna | alien winter-cress | * |
| Brassica nigra | black mustard | * |
| Brassica rapa | field mustard | * |
| Cakile maritima | sea-rocket | * |
| Capsella bursa-pastoris | shepherd's purse | |
| Cardamine californica var. californica | woodland milkmaids | |
| Cardamine californica var. integrifolia | meadow milkmaids | |
| Cardamine oligosperma | bitter-cress | |
| Caulanthus lasiophylla | Ca. mustard | |
| Descurania sophia | tansy-mustard, herb sophia (A Ranch) | * |
| Erysimum capitatum | tall yellow wallflower | |
| Erysimum franciscanum | Franciscan white wallflower | LIST 4.2 |
| Erysimum concinnum | white wallflower | |
| Hirschfeldia incana | summer mustard | * |
| Lepidium didymum | wartcress | |
| Lepidium lasiocarpum | sandflat peppercress | |
| Lepidium latifolium | White-top | * |
| Lepidium nitidum | early shining peppercress | |
| Lepidium strictum | trail peppercress | * |
| Lobularia maritima | sweet alyssum | * |
| Lunaria annua | moonwort | * |
| Nasturtium officinale | common watercress | * |
| Raphanus raphanistrum | jointed charlock | * |
| Raphanus sativus | wild radish | * |
| Rorippa curvisiliqua | curved-capsule cress | |
| Rorippa palustris ssp. palustris | swamp yellow-cress (Abbotts Lagoon pond) | |
| Sinapis alba | white mustard (but yellow flowers) | * |

| | | |
|--|---|------------------|
| Sisymbrium officinale | hedge mustard | * |
| Turritis glabra | tower mustard | |
| CALYCANTHACEAE (SPICEBUSH FAMILY) | | |
| Calycanthus occidentalis | western spicebush (creekside, Park Offices) | * |
| CAMPANULACEAE (BELLFLOWER FAMILY) | | |
| Campanula californica | marsh-tussock harebell | LIST 1B.2 |
| Heterocodon rariflorum | tiny bellflower (N.E. Lunny "G" Ranch) | |
| CANNABACEAE (HOP FAMILY) | | |
| Cannabis sativa | marijuana | * |
| CAPRIFOLIACEAE (HONEYSUCKLE FAMILY) | | |
| Lonicera hispidula | California honeysuckle | |
| Lonicera involucrata var. ledebourii | twinberry honeysuckle | |
| Lonicera japonica | Japanese honeysuckle | * |
| Symphoricarpos albus var. laevigatus | bush snowberry | |
| Symphoricarpos mollis | hairy snowberry | |
| CARYOPHYLLACEAE (PINK FAMILY) | | |
| Cardionema ramosissimum | spiny sandmat | |
| Cerastium fontanum ssp. vulgare | perennial mouse-ear chickweed | * |
| Cerastium glomeratum | annual mouse-ear chickweed | * |
| Cerastium viride | large-flowered field chickweed | LIST 4 (perhaps) |
| Minuartia rubella | moss-like minuartia | |
| Petrorhagia dubia | tunica, grass-pink | * |
| Polycarpon tetraphyllum | allseed | * |
| Sagina apetala | tiny pearlwort | * |
| Sagina decumbens ssp. occidentalis | annual pearlwort | |
| Sagina maxima ssp. crassicaulis | perennial coastal pearlwort | LIST4 (perhaps) |
| Sagina procumbens | pearlwort, Irish-moss | |
| Silene gallica | windmill pink | * |
| Silene scouleri ssp. scouleri | coastal catchfly | |
| Spergula arvensis ssp. arvensis | corn spurrey | * |
| Spergularia bocconii | sand spurrey | * |
| Spergularia macrotheca var. macrotheca | coastal large-fruited spurrey | |
| Spergularia marina | pink salmarsh spurrey | * |
| Spergularia media var. media | white saltmarsh-spurrey | * |
| Spergularia rubra | common pink spurrey | * |
| Spergularia salina (was S. marina) | pale pink saltmarsh spurrey | |
| Spergularia villosa | perennial hairy spurrey | * |
| Stellaria borealis ssp. sitchana | marsh chickweed | |
| Stellaria crispa | trailing starwort | |
| Stellaria littoralis | marsh tussock chickweed | LIST 4.2 |
| Stellaria media var. media | common chickweed | * |
| CELASTRACEAE (BURNING BUSH FAMILY) | | |
| Euonymus occidentalis | pawnbroker bush, spindleberry | |
| CERATOPHYLLACEAE (HORNWORT FAMILY) | | |
| Ceratophyllum demersum | water hornwort | |
| CHENOPODIACEAE (GOOSEFOOT FAMILY) | | |
| Amaranthus albus | white pigweed | * |
| Amaranthus blitoides | pigweed | * |
| Amaranthus deflexus | pigweed | * |
| Atriplex californica | coastal small-leaved goosefoot | |
| Atriplex leucophylla | tideline pale-leaved goosefoot | |
| Atriplex prostrata | spearscale, orache | |
| Chenopodium album | lamb's quarters | * |

| | | |
|---|--|-----------|
| Dysphania ambrosoides | Mexican tea, epazote | * |
| Chenopodium berlandieri | pitted seed goosefoot | |
| Chenopodium californicum | Ca. tall goosefoot | |
| Chenopodium macrospermum | lagoon-shore goosefoot | * |
| Chenopodium murale | common wall-goosefoot | * |
| Chenopodium strictum var. glaucophyllum | lamb's quarters | * |
| Chenopodium vulvaria | stinking goosefoot | * |
| Salicornia pacifica | pickleweed, glasswort | |
| Salsola soda | salty shore-thistle | * |
| CISTACEAE (ROCK-ROSE FAMILY) | | |
| Crocanthemum scoparium | broom-rose, rush-rose | |
| COMMELINACEAE (SPIDERWORT FAMILY) | | |
| Tradescantia fluminensis | creeping spiderwort (Bolinas) | |
| CONVOLVULACEAE (BINDWEED FAMILY) | | |
| Calystegia occidentalis ssp. occidentalis | western morning glory (Estero Trail) | |
| Calystegia purpurata ssp. purpurata | climbing morning glory | |
| Calystegia purpurata ssp. saxicola | coastal bluff morning glory | LIST 1B.2 |
| Calystegia silvatica | large-flowered bindweed | * |
| Calystegia soldanella | beach morning glory | |
| Calystegia subacaulis ssp. subacaulis | stemless morning glory | |
| Convolvulus arvensis | common bindweed | * |
| Cuscuta californica | Ca. dodder | |
| Cuscuta pacifica var. pacifica | Pacific saltmarsh dodder | |
| Dichondra donnelliana | pony's foot | |
| CORNACEAE (DOGWOOD FAMILY) | | |
| Cornus nuttallii | western dogwood (Bear Valley) | * |
| Cornus sericea ssp. sericea | creek dogwood | |
| CRASSULACEAE (STONECROP FAMILY) | | |
| Crassula aquatica | water pigmy-weed | |
| Crassula connata | sand pigmy-weed | |
| Dudleya cymosa | rock-lettuce | |
| Dudleya farinosa | sea-bluff lettuce | |
| Sedum spathulifolium | spoon-leaved stonecrop | |
| CUCURBITACEAE (CUCUMBER FAMILY) | | |
| Marah fabacea | manroot | |
| Marah oregana | Oregon manroot | |
| CUPRESSACEAE (CYPRESS FAMILY) | | |
| Calocedrus decurrens | incense- cedar | * |
| Hesperocyparis glabra | Arizona cypress | * |
| Hesperocyparis macrocarpa | Monterey cypress | * |
| Juniperus communis | prostrate uniper | * |
| Metasequoia glyptostroboides | dawn redwood (Bear Valley) | * |
| Sequoia sempervirens | coast redwood (Dogtown) | |
| CYPERACEAE (SEDGE FAMILY) | | |
| Bolboschoenus maritimus | saltmarsh bulrush | |
| Carex amplifoila | leafy sedge (Muddy Holllow near parking) | |
| Carex bolanderi | Bolander's sedge | |
| Carex brevicaulis | short-stem sedge | |
| Carex buxbaumii | Buxbaum's sedge | LIST 4.2 |
| Carex densa | dense-headed sedge | |
| Carex divulsa | false Berkeley sedge | * |
| Carex leptopoda | Dewey's sedge | |
| Carex echinata ssp. phyllomanica | coastal sedge | |

| | | |
|---|------------------------------------|-------------------|
| Carex exsiccata | inflated sedge | |
| Carex globosa | round-fruited sedge | |
| Carex gracilior | slender sedge | |
| Carex gynodynamis | Olney's hairy sedge | |
| Carex harfordii | Monterey sedge | |
| Carex hassei | Hasse's sedge | |
| Carex leptalea | flaccid sedge | LIST 2.2 |
| Carex leptopoda | sedge | |
| Carex luzulina | woodrush sedge | |
| Carex lyngbyei | Lyngbye's sedge | LIST 2.2 |
| Carex obnupta | common slough sedge | |
| Carex pansa | sand sedge | |
| Carex pellita | woolly sedge | |
| Carex simulata | short-beak sedge | |
| Carex subractata | short-bract sedge | |
| Carex subfusca | sedge | |
| Carex tumulicola | Berkeley sedge | |
| Carex utriculata | sedge | |
| Cyperus eragrostis | umbrella sedge | |
| Cyperus involucratu | large cyperus (N. District hqtrs.) | |
| Cyperus niger | black cyperus | |
| Eleocharis macrostachya | large spikerush, nailrod | |
| Eleocharis pachycarpa | small runner-spikerush | * |
| Eleocharis quinqueflora | common few-flowered spikerush | |
| Eleocharis rostellata | walking spikerush | |
| Isolepis carinata | annual keeled-sedge | |
| Isolepis cernua | annual or perennial deer-sedge | |
| Rhynchospora californica | beaked false sedge | LIST 1B.1 (ext.?) |
| Schoenoplectus acutus var. occidentalis | common tule | |
| Schoenoplectus americanus | winged three-square | |
| Schoenoplectus californicus | California tule | |
| Isolepis cernua | dwarf deer sedge | |
| Isolepis carinata | keeled dwarf sedge | |
| Schoenoplectus maritimus | saltmarsh bulrush | |
| Scirpus microcarpus | broad-leaved bulrush | |
| Schoenoplectus pungens var. pungens | common three-square | |
| DENNSTAEDTIACEAE (BRACKEN FERN FAMILY) | | |
| Pteridium aquilinum var. pubescens | western bracken-fern | |
| DIPSACACEAE (TEASEL FAMILY) | | |
| Dipsacus fullonum | lilac-flowered teasel | * |
| Dipsacus sativus | white-flowered teasel | * |
| Scabiosa atropurpurea | pincushion scabious | * |
| DRYOPTERIDACEAE (WOOD FERN FAMILY) | | |
| Athyrium filix-femina var. cyclosorum | ladyfern | |
| Dryopteris arguta | common woodfern | |
| Dryopteris expansa | broad-leaved woodfern | |
| Polystichum munitum | common swordfern | |
| ELATINACEAE (WATERWORT FAMILY) | | |
| Elatine californica | waterwort | |
| EQUISETACEAE (HORSETAIL FAMILY) | | |
| Equisetum arvense | marsh horsetail | |
| Equisetum hyemale var. affine | giant scouring-rush | |
| Equisetum telmateia var. braunii | giant horsetail | |
| ERICACEAE (HEATHER FAMILY) | | |
| Arbutus menziesii | madrone | |

Arctostaphylos glandulosa ssp. *cushingiana*
Arctostaphylos glandulosa "forma *repens*"
Arctostaphylos stanfordiana (vouchered!)
Arctostaphylos uva-ursi
Arctostaphylos virgata
Erica lusitanica
Gaultheria shallon
Rhododendron columbianum
Rhododendron occidentale
Vaccinium caespitosum
Vaccinium ovatum

non-glandular Eastwood's manzanita
 Bishop pine forest manzanita
 Stanford manzanita LIST? planted?
 bearberry manzanita
 Bolinas manzanita LIST 1B.2
 white heather *
 salal
 western Labrador-tea
 western azalea (Indian Beach, Tomales Bay S.P)
 marsh hummock huckleberry (Lunny Ranch)
 evergreen huckleberry

EUPHORBIACEAE (SPURGE FAMILY)

Euphorbia lathyris
Euphorbia peplus

compass plant, gopher spurge *
 petty spurge *

FABACEAE (BEAN FAMILY)

Acacia dealbata
Acacia melanoxylon
Acacia verticillata
Acmispon americanus
Acmispon glaber
Acmispon heermannii var. *orbicularis*
Acmispon junceus var. *junceus* (short peduncle)
Acmispon parviflorus
Acmispon strigosus
Acmispon wrangelianus
Albizia lophantha
Astragalus nuttallii var. *nuttallii*
Astragalus pycnostachyus var. *pycnostachyus*
Cytisus scoparius
Genista monspessulana
Hoita orbicularis
Hosackia gracilis
Hosackia oblongifolia var. *oblongifolia*
Lathyrus angulatus
Lathyrus hirsutus
Lathyrus latifolius
Lathyrus littoralis
Lathyrus vestitus var. *vestitus*
Lotus angustissimus
Lotus corniculatus
Lotus tenuis
Lupinus arboreus
Lupinus bicolor
Lupinus chamissonis
Lupinus littoralis
Lupinus nanus
Lupinus polyphyllus var. *polyphyllus*
Lupinus propinquus
Lupinus tidestromii
Lupinus variicolor
Medicago arabica
Medicago lupulina
Medicago polymorpha
Medicago sativa
Melilotus indica
Robinia pseudo-acacia
Trifolium amoenum
Trifolium angustifolium
Trifolium barbigerum var. *barbigerum*

green wattle (Inverness area)*
 black-wood acacia *
 star acacia *
 spanish-clover
 deerweed
 sand-flat lotus
 sand-lotus (Limantour & Pt. Reyes Lighthouse)
 small-flowered lotus
 annual sand lotus
 subpinnate lotus
 plume acacia *
 coastal locoweed
 brine locoweed 1B.2
 Scots' broom *
 French broom *
 round-leaflet scurf- pea
 coast lotus, witches' teeth
 marsh lotus (Kehoe Marsh headwaters)
 small sweetpea *
 Caley pea *
 everlasting pea *
 beach pea
 hillside pea
 narrow-pod lotus (Lunny ranch) *
 upright bird's foot trefoil *
 prostrate birdsfoot trefoil *
 yellow bush lupine
 miniature lupine (coastal var.)
 fragrant dune lupine
 seashore lupine
 sky lupine
 marsh lupine
 blue bush lupine (mostly in coastal scrub)
 Tidestrom's lupine LIST 1B.1
 coastal-prairie perennial lupine
 spotted- leaf bur-clover *
 black medic *
 bur- clover *
 alfalfa *
 yellow sweet- clover *
 white false-locust * (nr. 5 Brooks)
 showy Indian clover (re-introduced) LIST 1B.1
 narrow-leaved clover
 bearded clover

| | | |
|---|--|---|
| <i>Trifolium bifidum</i> var. <i>decipiens</i> | notched-leaf clover | |
| <i>Trifolium campestre</i> | hop clover | * |
| <i>Trifolium cernuum</i> | nodding clover | * |
| <i>Trifolium depauperatum</i> | balloon Clover | |
| <i>Trifolium dubium</i> | shamrock, small hop clover | * |
| <i>Trifolium fragiferum</i> | strawberry clover | * |
| <i>Trifolium glomeratum</i> | cluster Clover | * |
| <i>Trifolium gracilentum</i> var. <i>gracilentum</i> | pinpoint Clover | |
| <i>Trifolium grayi</i> | Gray's clover, a lilac-flowered forma | |
| <i>Trifolium hirtum</i> | rose clover | * |
| <i>Trifolium longipes</i> var. <i>nevadense</i> | longstem clover | |
| <i>Trifolium macraei</i> | twinhead clover | |
| <i>Trifolium microcephalum</i> | maiden clover | |
| <i>Trifolium microdon</i> | cup- clover | |
| <i>Trifolium obtusiflorum</i> | sticky sour-clover (nr. Oyster farm inlet) | |
| <i>Trifolium pratense</i> | red clover | * |
| <i>Trifolium repens</i> | white clover | * |
| <i>Trifolium striatum</i> | striped-stipule clover (Muddy Hollow) | * |
| <i>Trifolium subterraneum</i> | subterranean clover | * |
| <i>Trifolium tomentosum</i> | woolly-head clover | * |
| <i>Trifolium variegatum</i> a. | white-tip vari-color clover | |
| <i>Trifolium variegatum</i> b. | large-flowered vari-color clover | |
| <i>Trifolium willdenovii</i> | tomcat clover | |
| <i>Trifolium wormskioldii</i> | perennial cow clover | |
| <i>Vicia americana</i> var. <i>americana</i> | American vetch | |
| <i>Vicia benghalensis</i> | red vetch | * |
| <i>Vicia hirsuta</i> | common tare | * |
| <i>Vicia gigantea</i> | giant coastal vetch | |
| <i>Vicia hirsuta</i> | hairy tare | * |
| <i>Vicia sativa</i> ssp. <i>nigra</i> | narrow-leaved vetch | * |
| <i>Vicia sativa</i> ssp. <i>sativa</i> | broadleaved vetch | * |
| <i>Vicia tetrasperma</i> | small-flowered blue vetch | * |
| <i>Vicia villosa</i> ssp. <i>varia</i> | blue-purple vetch | * |
| FAGACEAE (BEECH FAMILY) | | |
| <i>Chrysolepis chrysophylla</i> var. <i>minor</i> | bush chinquapin | |
| <i>Nothofagus densiflorus</i> var. <i>densiflorus</i> | tanbark oak | |
| <i>Quercus agrifolia</i> var. <i>agrifolia</i> | coast live oak | |
| <i>Quercus chrysolepis</i> | canyon live oak | |
| FRANKENIACEAE (FRANKENIA FAMILY) | | |
| <i>Frankenia salina</i> | alkali- heath | |
| GARRYACEAE (SILK TASSEL FAMILY) | | |
| <i>Garrya elliptica</i> | lowland silk tassel | |
| GENTIANACEAE (GENTIAN FAMILY) | | |
| <i>Centaurium tenuiflorum</i> | European centauray (Abbotts Lagoon trail) | |
| <i>Cicendia quadrangularis</i> | tiny yellow gentian, timwort | |
| <i>Gentiana affinis</i> var. <i>ovata</i> | blue gentian | |
| <i>Zeltnera davyi</i> | white-eyed centauray | |
| <i>Zeltnera</i> sp. | dwarf 4- merous centauray | |
| GERANIACEAE (GERANIUM FAMILY) | | |
| <i>Erodium botrys</i> | long-fruited broad- leaf filaree | * |
| <i>Erodium cicutarium</i> | red-stem filaree | * |
| <i>Erodium moschatum</i> | white-stem filaree | * |
| <i>Geranium core-core</i> | perennial pink-flowered cranesbill | * |
| <i>Geranium dissectum</i> | cut-leaved cranesbill | * |
| <i>Geranium molle</i> | soft-leaved cranesbill | * |
| <i>Geranium potentilloides</i> | white cranesbill (Palomarin trail) | * |

| | | |
|--|---|----------|
| Geranium robertianum | herb robert | * |
| Geranium solanderi | hairy pink shade-loving geranium | * |
| Geranium sp. "large robertianum" | large-flowered herb robert (Inverness) | * |
| Pelargonium grossularioides | gooseberry-leaved pelargonium | * |
| GROSSULARIACEAE (GOOSEBERRY FAMILY) | | |
| Ribes divaricatum var. pubiflorum | straggly gooseberry | |
| Ribes menziesii | canyon gooseberry | |
| Ribes sanguineum var. glutinosum | pink flowering currant | |
| GUNNERACEAE (GUNNERA FAMILY) | | |
| Gunnera tinctoria | spiny gunnera (above Indian beach) | * |
| HALORAGACEAE (WATER MILFOIL FAMILY) | | |
| Myriophyllum aquaticum | parrot feather (Lake Ranch ponds) | * |
| Myriophyllum hippuroides | western milfoil (Mud Lake) | |
| Myriophyllum sibiricum | water milfoil (at Abbotts Lagoon) | |
| HYDRANGEACEAE (HYDRANGEA FAMILY) | | |
| Whpplea modesta | modesty | |
| HYPERICACEAE (ST. JOHN'S WORT FAMILY) | | |
| Hypericum anagalloides | tinker's penny | |
| Hypericum formosum var. scouleri | marsh St. John's wort | |
| IRIDACEAE (IRIS FAMILY) | | |
| Crocsmia X crocosmiiflora | orange montbretia | * |
| Iris douglasiana | Douglas iris | |
| Iris longipetala | coast iris (poss. at Tomales Point) | LIST 4.2 |
| Iris pseudacorus | yellow flag (near Kehoe Beach Trail) | * |
| Iris macrosiphon | ground iris (Marshall beach area E- slope) | |
| Romulea rosea var. australis | grass crocus | * |
| Sisyrinchium bellum | blue-eyed- grass | |
| Sisyrinchium californicum | yellow-eyed- grass | |
| Sparaxis ricolor | red wandflower | * |
| Watsonia bulbillifera | red watsonia | * |
| Watsonia sp. | pink watsonia ((Agate Beach overlook) * | |
| ISOETACEAE (QUILLWORT FAMILY) | | |
| Isoetes nuttallii | Nuttall's quillwort (E. Abandoned F Ranch) | |
| Isoetes sp.? orcuttii | Small Isoetes (Lunny Ranch NE) | |
| JUNCACEAE (RUSH FAMILY) | | |
| Juncus articulatus | jointed rush (White House pool) | |
| Juncus balticus | northern rush | |
| Juncus mexicanus | wiry rush | |
| Juncus bolanderi | clustered rush | |
| Juncus bufonius var. bufonius | toad rush | |
| Juncus bufonius var. congestus | salt-flat toad rush | |
| Juncus bufonius var. occidentalis | slender toad rush | |
| Juncus capitatus | annual round-headed rush | * |
| Juncus effusus var. effusus | green tussock rush | |
| Juncus falcatus var. falcatus | sickle-leaved rush | |
| Juncus hesperius | western rush | |
| Juncus kelloggii | tiny annual rush | |
| Juncus lescurii | saltmarsh rush | |
| Juncus occidentalis | western rush | |
| Juncus patens | blue-green tussock rush | |
| Juncus phaeocephalus var. phaeocephalus | brown-headed rush | |
| Juncus xiphioides | light-brown iris-leaved rush | |
| Luzula comosa | wood-rush, a marsh forma and a woodland forma | |

JUNCAGINACEAE (ARROWGRASS FAMILY)

| | | |
|-----------------------------------|---|--|
| Triglochin concinna var. concinna | short arrowgrass (purple & green-leaved forms) | |
| Triglochin maritima | tall bunch arrowgrass | |
| Triglochin scilloides | flowering quillwort | |
| Triglochin striata | three-ribbed dwarf arrowgrass (Bull Pt. Marsh S.) | |

LAMIACEAE (MINT FAMILY)

| | | |
|-------------------------------------|-------------------------------------|----------|
| Clinopodium douglasii | yerba buena | |
| Lamium amplexicaule | giraffes head, clasping henbit | * |
| Lamium purpureum | red henbit | * |
| Marrubium vulgare | white horehound (Abandoned Ranch) | * |
| Mentha aquatica | watermint | * |
| Mentha canadensis | marsh mint | |
| Mentha x piperita | peppermint | * |
| Mentha pulegium | European pennyroyal | * |
| Monardella sinuata var. nigrescens | wavy-leaved monardella (sand-dunes) | LIST 4.2 |
| Monardella villosa ssp. franciscana | large-headed coyote mint | |
| Prunella vulgaris var. lanceolata | selfheal (large flowers) | |
| Prunella vulgaris var. vulgaris | small-flowered self-heal | * |
| Stachys ajugoides | marsh hedge-nettle | |
| Stachys rigida var. quercetorum | hedge-nettle | |
| Stachys chamissonis | giant hedge- nettle | |

LAURACEAE (LAUREL FAMILY)

| | | |
|--------------------------|------------------------|--|
| Umbellularia californica | California bay- laurel | |
|--------------------------|------------------------|--|

LEMNACEAE (DUCKWEED FAMILY)

| | | |
|--------------------------|------------|--|
| Lemna minuscula (minima) | duckweed | |
| Spirodela polyrhiza | duckmeat | |
| Wolffiella lingulata | mud-midget | |

LILIACEAE (LILY FAMILY)

| | | |
|---------------------------------------|---|-----------|
| Calochortus tolmiei | pussy-ears star-tulip | |
| Prosartes hookeri | green fairybells | |
| Prosartes smithii | white fairybells (Bear Valley W.) | |
| Fritillaria affinis" var. affinis" | missionbells (large, robust, triploid) | |
| Fritillaria lanceolata var. tristulis | Pt. Reyes chocolate lily, triploid | LIST 1B.1 |
| Fritillaria liliacea | fragrant fritillary (but odorless here) | LIST 1B.2 |
| Lilium maritimum | coast lily | LIST 1B.1 |
| Lilium pardalinum ssp. pardalinum | California leopard lily | |

LIMNANTHACEAE (MEADOWFOAM FAMILY)

| | | |
|-------------------------------------|-------------------------|----------|
| Limnanthes douglasii ssp. douglasii | yellow-eyed meadow-foam | |
| Limnanthes douglasii ssp. sulphurea | Point Reyes meadow-foam | LIST1B.2 |

LINACEAE (FLAX FAMILY)

| | | |
|---------------------|---|---|
| Linum bienne | pale flax | * |
| Linum usitatissimum | common flax (from dropped edible seeds?)* | |

LYTHRACEAE (LOOSE-STRIPE FAMILY)

| | | |
|----------------------|-------------------------|---|
| Lythrum hyssopifolia | loosestrife, grass poly | |
| Lythrum salicaria | purple loosestrife | * |

MALVACEAE (MALLOW FAMILY)

| | | |
|----------------------|---------------------|---|
| Malva neglecta | tall mallow | * |
| Malva nicaeensis | short mallow | * |
| Malva parviflora | cheese-weed | * |
| Malva pseudolavatera | Cretan mallow | * |
| Modiola caroliniana | Carolina red mallow | * |

| | | |
|---|---|-----------|
| Sidalcea calycosa ssp. rhizomata | Pt. Reyes checkerbloom | LIST 1B.2 |
| Sidalcea malviflora ssp. malviflora | dwarf checkerbloom | |
| Sidalcea malviflora ssp. purpurea | purple-stem checker (fide JEPS Herbarium) | LIST 1B.2 |
| Sidalcea malviflora ssp. rostrata | coastal dwarf checkerbloom | |
| MELANTHIACEAE (FALSE HELLEBORE FAMILY) | | |
| Toxicoscordion fremontii var. minor | coastal star-lily (Drakes Bay W. headland) | |
| Trillium albidum (but prob. T. chloropetalum) | white trillium (Tomales Point) | |
| Trillium chloropetalum | sessile-flowered green wakerobin (Inverness) | |
| Trillium ovatum ssp. ovatum | pedunculate wake-robin | |
| MENYANTHACEAE (BOGBean FAMILY) | | |
| Menyanthes trifoliata | bogbean (Headwaters of Kehoe marsh) | |
| MONTIACEAE (MINERS'-LETTUCE FAMILY) | | |
| Calandrinia menziesii | redmaids | |
| Claytonia exigua ssp. exigua | small claytonia (nr. Jepson trail TBSP) | |
| Claytonia perfoliata | miners' lettuce | |
| Claytonia parviflora ssp. parviflora | small-flowered linear-leaved claytonia | |
| Claytonia sibirica | candy-flower | |
| Montia fontana | water montia | |
| MYRICACEAE (BAYBERRY FAMILY) | | |
| Morella californica | California wax- myrtle | |
| MYRTACEAE (MYRTLE FAMILY) | | |
| Eucalyptus globulus | Tasmanian blue gum | * |
| Eucalyptus sp. | Eucalyptus sp. (Mt. Vision) | * |
| Leptospermum laevigatum | New Zealand tea-tree | * |
| MYRSINACEAE (MYRSINE FAMILY) | | |
| Lysimachia arvensis | scarlet or blue pimpernel | * |
| Lysimachia latifolia | pink starflower | |
| Lysimachia minima | chaffweed | |
| Lysimachia maritima | sea milkwort (Creamery Bay) | |
| Lysimachia sp. | tall primrose (Inverness) | * |
| NYCTAGINACEAE (FOUR-O'CLOCK FAMILY) | | |
| Abronia latifolia | yellow sand- verbena | |
| Abronia umbellata var. breviflora | pink sand-verbena | LIST1B.1 |
| NYMPHAEACEAE (WATER-LILY FAMILY) | | |
| Nuphar luteum ssp. polysepalum | yellow pond-lily | |
| Nymphaea odorata | white water-lily (no fragrance, Lake Ranch) * | |
| ONAGRACEAE (EVENING-PRIMROSE FAMILY) | | |
| Camissonia contorta var. strigulosa | small sand- primrose | |
| Camissoniopsis cheiranthifolia | beach- primrose | |
| Camissoniopsis micrantha | trailing dune suncup | |
| Circaea alpina ssp. pacifica | enchanter's nightshade (S. E. Inverness Ridge) | |
| Clarkia amoena ssp. amoena | coast godetia | |
| Clarkia amoena ssp. huntiana | farewell to spring (E. Abbotts' lagoon peninsula) | |
| Clarkia concinna ssp. concinna | red ribbons (very few plants, Arroyo Honda) | |
| Clarkia davii | Davy's godetia | |
| Clarkia purpurea | Clarkia (has purple stigma, clustered flowers) | |
| Clarkia rubicunda | ruby chalice godetia (Palomarin trail) | |
| Epilobium ciliatum ssp. watsonii | coastal willowherb | |
| Epilobium densiflorum | tall boisduvalia (Olema Marsh) | |
| Ludwigia peploides ssp. montevidensis | glandular-leaf-tip water-primrose | * |
| Ludwigia peploides ssp. peploides | creeping water-primrose | |
| Oenothera elata ssp. hookeri | tall evening- primrose (tip of Bull Point) | |

Taraxia ovata

grassland suncups

OPHIOGLOSSACEAE (ADDER'S TONGUE FAMILY)

Sceptridium multifidum

leathery grapefern (has spores in July)

ORCHIDACEAE (ORCHID FAMILY)

Calypso bulbosa
 Corallorhiza maculata var. maculata
 Epipactis gigantea
 Epipactis helleborine
 Goodyera oblongifolia
 Piperia elegans ssp. decurtata
 Piperia elegans ssp. decurtata
 Piperia elongata
 Piperia michaelii
 Piperia transversa
 Platanthera dilata var. leucostachys
 Spiranthes romanzoffiana

Calypso orchid
 spotted coralroot (Tomales Bay st. Pk)
 stream orchid (Bull Point marshes)
 weedy helleborine orchid (Limantour Rd. E.) *
 rattlesnake plantain orchid
 Pt. Reyes rein-orchid LIST 1B.1
 coastal rein-orchid
 long-spurred rein orchid (TBSP and Inverness Ridge)
 Michael's rein orchid (at the New Quarry) LIST 4.2
 transverse-spur rein orchid (Inverness Ridge)
 marsh butterfly orchid
 hooded ladies' tresses orchid

OROBANCHACEAE (BROOMRAPE FAMILY)

Castilleja affinis ssp. affinis
 Castilleja ambigua ssp. ambigua
 Castilleja ambigua ssp. humboldtiensis
 Castilleja ambigua ssp. "marinensis"
 Castilleja attenuata
 Castilleja densiflora ssp. densiflora
 Castilleja exserta ssp. latifolia
 Castilleja subinclusa ssp. franciscana
 Castilleja wightii
 Chloropyron maritimum ssp. palustre
 Orobanche californica ssp. californica
 Orobanche fasciculata
 Parentucellia latifolia
 Parentucellia viscosa
 Pedicularis densiflora
 Triphysaria eriantha var. rosea
 Triphysaria floribunda
 Triphysaria pusilla
 Triphysaria versicolor ssp. faucibarbata
 Triphysaria versicolor ssp. versicolor

Indian paintbrush
 terrestrial Johnny-nip LIST 4.2
 Humboldt Bay owl's-clover (or hybrid?) LIST 1B.2
 saltmarsh Johnny- nip
 valley tassels
 coastal form owl's- clover
 showy owl's- clover
 Franciscan paintbrush
 yellow Indian paintbrush
 Pt. Reyes bird's-beak LIST 1B.2
 crimson broomrape (on Grindelia)
 clustered broomrape (Palomarin)
 red parentucellia *
 yellow parentucellia *
 Indian warrior
 rosy butter and eggs
 San Francisco owl's- clover LIST 1B.2
 insignificant owl's- clover
 yellow Johnny- Tuck
 White Johnny -Tuck (uncommon on Lunny)

OXALIDACEAE (OXALIS FAMILY)

Oxalis corniculata
 Oxalis pilosa
 Oxalis oregana
 Oxalis pes-caprae
 Oxalis pilosa
 Oxalis rubra

weedy oxalis *
 coastal oxalis
 redwood sorrel
 Bermuda-buttercup, sourgrass *
 small yellow oxalis *
 bright pink oxalis *

PAPAVERACEAE (POPPY FAMILY)

Dicentra formosa
 Eschscholzia californica
 Meconella californica
 Papaver rhoeas
 Platystemon californicus

bleeding heart
 California poppy
 white meconella (E. side Tomales Point)
 Flanders poppy, Shirley poppy *
 cream-cups

PHRYMACEAE (LOPSEED FAMILY)

Diplacus aurantiacus
 Erythranthe cardinalis
 Erythranthe guttata
 Erythranthe pilota (was E. moschata)

sticky bush- monkeyflower
 red monkeyflower
 perennial yellow monkeyflower
 non-musky monkeyflower

| | | |
|---|--|-----------|
| PINACEAE (PINE FAMILY) | | |
| Pinus contorta ssp. contorta | beach pine (Estero Trail) | * |
| Pinus muricata | bishop pine | |
| Pinus radiata | Monterey pine | * |
| Pinus spp. | other pines (planted, Estero trail) | * |
| Pseudotsuga menziesii var. menziesii | Douglas- fir | |
| PITTOSPORACEAE (PITTOSPORUM FAMILY) | | |
| Pittosporum undulatum | Victorian- box (Palomarin) | * |
| PLANTAGINACEAE (PLANTAIN FAMILY) | | |
| Callitriche marginata | water starwort | |
| Callitriche verna | spring water-starwort | |
| Collinsia corymbosa | sand Collinsia (old record, prob. ext) LIST 1B.2 | |
| Collinsia heterophylla | Chinese houses | |
| Cymbalaria muralis | Kenilworth ivy | * |
| Digitalis purpurea | foxglove | * |
| Hippuris vulgaris | marestail (FW pond near Tomales Bay) | |
| Kickxia elatine | arrow-leaved fluellen | * |
| Kickxia spuria | round-leaved fluellen | * |
| Linaria vulgaris | yellow toadflax, butter-and-eggs | * |
| Nuttallanthus texanus | blue toadflax | |
| Plantago coronopus | buckhorn plantain | * |
| Plantago elongata | annual plantain | |
| Plantago erecta | dwarf plantain | |
| Plantago lanceolata | ribwort, English plantain | * |
| Plantago ovata | desert Indianwheat plantain (also at Muir Beach) | |
| Plantago major | common broad-leaf plantain | * |
| Plantago maritima var. californica | seaside-bluff plantain | |
| Plantago maritima var. juncooides | saltmarsh plantain | |
| Plantago subnuda | coastal large-leaf plantain | |
| Veronica americana | American brooklime | |
| Veronica arvensis | corn speedwell | * |
| Veronica peregrina ssp. xalapensis | vernal pool veronica | |
| Veronica persica | bird's-eye speedwell | * |
| Veronica scutellata | marsh speedwell | |
| PLATANACEAE (PLANE OR SYCAMORE FAMILY) | | |
| Platanus sp. (hybrid) | sycamore, plane tree (above Inverness) | * |
| PLUMBAGINACEAE (THRIFT FAMILY) | | |
| Armeria maritima ssp. californica | sea-pink or thrift | |
| Limonium californicum | western marsh- rosemary | |
| POACEAE (GRASS FAMILY) | | |
| Aegilops triuncialis | goat grass (Bear Valley parking lot) | * |
| Agrostis avenacea | vernal wetland bentgrass | * |
| Agrostis blasdalei | Blasdale's bentgrass | LIST1B.2 |
| Agrostis capillaris | colonial bentgrass | * |
| Agrostis clivicola var. puntareyesensis | Pt. Reyes bentgrass (differs from A. densiflora) | |
| Agrostis densiflora | coastal bentgrass | |
| Agrostis exarata | annual purple bentgrass | |
| Agrostis hallii | Hall's bentgrass | |
| Agrostis microphylla | green annual bentgrass | |
| Agrostis pallens | dune bentgrass | |
| Agrostis semiverticillata | aquatic agrostis | |
| Agrostis stolonifera | creeping bentgrass | |
| Aira caryophyllea | silver hairgrass | * |
| Aira praecox | early hairgrass | * |
| Alopecurus aequalis var. sonomensis | short-awn foxtail | LIST 1B.1 |

| | | |
|--|--|----------|
| <i>Alopecurus geniculatus</i> | creeping water-foxtail | |
| <i>Alopecurus pratensis</i> | foxtail | * |
| <i>Ammophila arenaria</i> | marram grass, European dunegrass | * |
| <i>Anthoxanthum occidentale</i> | vanilla grass | |
| <i>Anthoxanthum odoratum</i> | sweet vernal grass | * |
| <i>Arrhenatherum elatius</i> | false oat | * |
| <i>Arundo donax</i> | giant reed | * |
| <i>Avena barbata</i> | slim oat | * |
| <i>Avena fatua</i> | fat oat | * |
| <i>Avena sativa</i> | cultivated oat | * |
| <i>Briza maxima</i> | rattlesnake grass | * |
| <i>Briza minor</i> | little rattlesnake grass | * |
| <i>Bromus carinatus</i> | California brome | |
| <i>Bromus diandrus</i> | ripgut brome | * |
| <i>Bromus hordeaceus</i> | soft brome | * |
| <i>Bromus laevipes</i> | woodland brome | |
| <i>Bromus madritensis</i> ssp. <i>rubens</i> | red foxtail chess | * |
| <i>Bromus maritimus</i> | coastal brome | |
| <i>Calamagrostis nutkaensis</i> | Nootka reedgrass | |
| <i>Calamagrostis stricta</i> ssp. <i>inexpansa</i> | marsh reedgrass | LIST 2.1 |
| <i>Cortaderia jubata</i> or <i>selloana</i> | pampas grass | * |
| <i>Cynodon dactylon</i> | Bermuda grass | * |
| <i>Cynosurus echinatus</i> | dogtail | * |
| <i>Dactylis glomerata</i> | orchard grass | * |
| <i>Danthonia californica</i> | Ca. oatgrass | |
| <i>Deschampsia cespitosa</i> var. <i>beringensis</i> | tufted hairgrass (edge saltmarsh OF inlet) | |
| <i>Deschampsia cespitosa</i> ssp. <i>holciformis</i> | coastal tufted hairgrass | |
| <i>Deschampsia danthonioides</i> | annual hairgrass (old A.T.& T. ranch) | |
| <i>Deschampsia elongata</i> | hairgrass | |
| <i>Digitaria sanguinalis</i> | crabgrass | |
| <i>Distichlis spicata</i> | saltgrass | |
| <i>Echinochloa crus-galli</i> | barnyard grass | * |
| <i>Ehrharta calycina</i> | pink veldtgrass | * |
| <i>Ehrharta erecta</i> | green veldtgrass | * |
| <i>Elymus californicus</i> | Calif. bottlebrush grass | LIST 4.3 |
| <i>Elymus glaucus</i> ssp. <i>glaucus</i> | blue wild--rye | |
| <i>Elymus glaucus</i> sp. <i>jepsonii</i> | wild- rye | |
| <i>Elymus glaucus</i> ssp. <i>virescens</i> | green wild- rye | |
| <i>Elymus mollis</i> ssp. <i>mollis</i> | western dunegrass | |
| <i>Elymus pacificus</i> | coastal leymus (rarely fls.) | |
| <i>Elymus triticoides</i> | wheatgrass leymus | |
| <i>Elymus x vancouverensis</i> | hybrid dunegrass | |
| <i>Festuca arundinacea</i> | tall fescue, stadium grass | * |
| <i>Festuca bromoides</i> | brome-like annual fescue | * |
| <i>Festuca californica</i> | California fescue | |
| <i>Festuca idahoensis</i> | Idaho fescue | |
| <i>Festuca myuros</i> var. <i>hirsuta</i> | rat-tail annual fescue | * |
| <i>Festuca occidentalis</i> | western fescue | |
| <i>Festuca perennis</i> | ryegrass | * |
| <i>Festuca pratensis</i> | meadow fescue | * |
| <i>Festuca rubra</i> | red fescue | |
| <i>Festuca subuliflora</i> | crinkle-awn fescue | |
| <i>Gastridium phleoides</i> | nitgrass | * |
| <i>Glyceria declinata</i> | waxy managrass | * |
| <i>Glyceria leptostachya</i> | tall mannagrass | |
| <i>Glyceria occidentalis</i> | western prostrate mannagrass | |
| <i>Hainardia cylindrica</i> | rat-tail grass | * |
| <i>Holcus lanatus</i> | velvet grass | * |
| <i>Hordeum brachyantherum</i> ssp. <i>brachyantherum</i> | meadow barley | |
| <i>Hordeum brachyantherum</i> ssp. <i>californicum</i> | long-awned Ca. barley | |
| <i>Hordeum marinum</i> ssp. <i>gussoneanum</i> | Mediterranean barley | * |

| | | |
|---|---|-----------|
| Hordeum murinum ssp. glaucum | blue-green foxtail barley | * |
| Hordeum murinum ssp. leporinum | farmers' foxtail | * |
| Lagurus ovatus | hare's tail grass | * |
| Leptochloa fascicularis | sprangletop grass (Inverness) | |
| Melica californica | grassland melic-grass | |
| Melica geyeri | woodland melicgrass | |
| Melica harfordii | Harford's melicgrass | |
| Melica subulata | Alaska oniongrass | |
| Melica torreyana | slender bunch- melicgrass | |
| Panicum acuminatum | western panicgrass | |
| Parapholis incurva | tideline sicklegrass | * |
| Paspalum dilatatum | dallis grass, ditchgrass | * |
| Paspalum distichum | summer seep-grass | |
| Pennisetum clandestinum | Kikuyu grass (Chimney Rock trail) | * |
| Phalaris aquatica | Harding grass | * |
| Phalaris arundinacea | reed canary grass | * |
| Phalaris californica | California canarygrass | |
| Phleum alpinum | mountain timothy | |
| Piptatherum miliaceum | smilograss | * |
| Piptochaetium setosum | Chile grass | * |
| Pleuropogon californicus | Ca. vernal pool grass (where?) | |
| Pleuropogon refractus | semaphore grass (Arroyo Honda) | LIST4.2 |
| Poa annua | annual bluegrass | * |
| Poa confinis | beach bluegrass | |
| Poa douglasii | Douglas' bluegrass | |
| Poa howellii (?) | Howell's bluegrass | |
| Poa palustris | fowl bluegrass | |
| Poa pratensis | Kentucky bluegrass | |
| Poa secunda ssp. secunda | early bluegrass, malpais bluegrass | |
| Poa trivialis | rough bluegrass | * |
| Poa unilateralis | ocean-bluff bluegrass | |
| Polypogon interruptus | ditch beardgrass | * |
| Polypogon monspeliensis | annual beardgrass | * |
| Polypogon viridis | water agrostis-like beardgrass | |
| Puccinellia nutkaensis | Alaska alkali- grass | |
| Stipa lepida | slender needlegrass | |
| Stipa pulchra | purple needlegrass | |
| Stipa purpurata | Chile needlegrass | * |
| Setaria pumila | yellow bristlegrass | * |
| Setaria viridis | green bristlegrass | * |
| Sorghum halepense | Johnson- grass | * |
| Spartina alterniflora | Atlantic cordgrass | * |
| Spartina foliosa | Pacific cordgrass | |
| Torreyochloa pallida var. pauciflora | weak mannagrass | |
| Trisetum canescens (short spicate form) | short Trisetum (nr. S. Beach) | |
| POLEMONIACEAE (PHLOX FAMILY) | | |
| Collomia heterophylla | little pink collomia | |
| Gilia capitata ssp. chamissonis | blue coastal gilia | LIST1B.1 |
| Gilia clivorum | small-flowered gilia | |
| Gilia millefoliata | sticky coastal gilia | LIST 1B.2 |
| Leptosiphon grandiflorus | large-flowered Linanthus | LIST 4.2 |
| Leptosiphon. parviflorus var. rosaceus | rosy linanthus | |
| Microsteris gracilis | annual phlox | |
| Navarretia squarrosa | skunkweed | |
| Polemonium carneum | pink jacob's-ladder (not seen recently) | |
| POLYGALACEAE (MILKWORT FAMILY) | | |
| Polygala californica | pink milkwort | |
| POLYGONACEAE (BUCKWHEAT FAMILY) | | |

| | | |
|---|---|-----------|
| Bistorta bistortoides | western bistort, dirty socks | |
| Chorizanthe cuspidata var. cuspidata | hooked sand-spineflower | LIST 1B.2 |
| Chorizanthe cuspidata " var. robusta " | tall spineflower (in old-sand areas) | LIST 1B.2 |
| Chorizanthe cuspidata var. villosa | woolly sand- spineflower | LIST 1B.2 |
| Chorizanthe valida | Sonoma spineflower | LIST 1B.1 |
| Eriogonum fasciculatum var. foliosum | shrubby buckwheat (Limantour rd.) | * |
| Eriogonum fasciculatum var. polifolium | shrubby Buckwheat (Limantour rd.) | * |
| Eriogonum latifolium | coast buckwheat | |
| Persicaria amphibia | shoreline knotweed | |
| Persicaria hydropiperoides | water- pepper (Martinelli ranch) | |
| Polygonum arenastrum | dooryard knotweed | * |
| Polygonum capitatum | pink-headed knotweed | * |
| Polygonum "marinense" | tideline knotweed (maybe alien sp.) | LIST 3.2 |
| Polygonum paronychia | sand-dune knotweed | |
| Polygonum persicaria | lady's thumb | * |
| Polygonum punctatum | white smartweed | |
| Pterostegia drymarioides | granny's hairnet | |
| Rumex acetosella | sheep sorrel | * |
| Rumex conglomeratus | clustered dock | * |
| Rumex crispus | curly dock | * |
| Rumex fueginus | golden dock | |
| Rumex occidentalis | giant dock | |
| Rumex pulcher | fiddle dock | * |
| Rumex crassus | beach willow- dock | |
| Rumex salicifolius | willow-leaved dock | |
| POLYPODIACEAE (POLYPODY FERN FAMILY) | | |
| Polypodium californicum | Ca. polypody (on coastal rocks) | |
| Polypodium calirhiza | common polypody (in woods) | |
| Polypodium scolopendria | leather leaf evergreen polypody | |
| POTAMOGETONACEAE (PONDWEED FAMILY) | | |
| Potamogeton foliosus var. foliosus | pondweed | |
| Potamogeton nodosus | floating -leaved pondweed | |
| Potamogeton pectinatus | fennel-leaf pondweed | |
| Potamogeton pusillus | little pondweed | |
| Ruppia cirrhosa | curly- peduncle pondweed | |
| Ruppia maritima | widgeon- grass | |
| PRIMULACEAE (PRIMROSE FAMILY) | | |
| Primula hendersonii | shooting stars | |
| PTERIDACEAE (BRAKE FERN FAMILY) | | |
| Adiantum aleuticum | five-finger fern | |
| Adiantum jordanii | California maidenhair | |
| Pentagramma triangularis | goldback fern | |
| RANUNCULACEAE (BUTTERCUP FAMILY) | | |
| Actaea rubra | red baneberry | |
| Aquilegia formosa | red columbine | |
| Caltha palustris | yellow marsh marigold (Inverness) | * |
| Delphinium californicum ssp. californicum | Ca. tall larkspur (Muddy Hollow) | |
| Delphinium decorum ssp. decorum | coastal prairie larkspur | |
| Delphinium nudicaule | red larkspur | |
| Ranunculus aquatilis var. diffusus | water buttercup | |
| Ranunculus californicus | California buttercup | |
| Ranunculus flammula var. reptans | marsh buttercup | |
| Ranunculus lobbii | Lobb's aquatic buttercup | LIST 4.2 |
| Ranunculus muricatus | prickle-fruit buttercup | * |
| Ranunculus orthorhynchus var. platyphyllus | big marsh buttercup | |
| Ranunculus parviflorus | weedy buttercup (Dogtown & Five Brooks) | * |

| | | |
|--|--|------------------|
| Ranunculus pustilus | vernal pool buttercup (not seen) | |
| Ranunculus repens | creeping buttercup | * |
| Ranunculus uncinatus | small-flowered buttercup | |
| Thalictrum polycarpum | tall meadow rue | |
| RHAMNACEAE (BUCKTHORN FAMILY) | | |
| Ceanothus gloriosus var. gloriosus | Pt. Reyes Ceanothus | LIST 4.3 |
| Ceanothus gloriosus var. porrectus | Mt. Vision Ceanothus | LIST1B.3 |
| Ceanothus thyrsiflorus | tall blue -blossom | |
| Ceanothus thyrsiflorus "var. repens" | creeping blue-blossom | |
| Ceanothus velutinus | tobacco bush (ext.?) | |
| Frangula californica ssp. californica | coffee- berry | |
| ROSACEAE (ROSE FAMILY) | | |
| Acaena pinnatifida var. californica | acaena, California bur | |
| Amelanchier utahensis | serviceberry (prostrate plants on coastal headlands) | |
| Aphanes occidentalis | parsley piert | * |
| Cotoneaster franchetti | orange fruit cotoneaster | * |
| Cotoneaster lacteus | big-leaved cotoneaster | * |
| Cotoneaster pannosus | small-leaved cotoneaster | * |
| Crataegus gaylussacia | black-berried hawthorn (Grossi Ranch) | |
| Drymocallis glandulosa ssp. wrangeliana | sticky cinquefoil | |
| Duchesnea indica | mock strawberry | * |
| Fragaria chiloensis | beach strawberry | |
| Fragaria vesca | wild strawberry | |
| Heteromeles arbutifolia | toyon, Christmas berry | |
| Holodiscus discolor | ocean-spray | |
| Horkelia californica ssp. californica | Ca. horkelia | |
| Horkelia cuneata ssp. sericea | silky-hairy horkelia | LIST 1B.1 (ext?) |
| Horkelia marinensis | Pt. Reyes horkelia | LIST 1B.2 |
| Malus pumila | European apple | * |
| Oemleria cerasiformis | oso berry, Indian plum | |
| Physocarpus capitatus | ninebark (H ranch) | |
| Potentilla anserina ssp. pacifica | shore cinquefoil | |
| Poterium sanguisorba | salad burnet | * |
| Prunus cerasifera | cherry-plum | * |
| Prunus illicifolia ssp. illicifolia (planted, Limantour Rd.) | holly-leaved cherry | * |
| Rosa californica | California rose | |
| Rosa canina | dog rose (5-Brooks.) | * |
| Rosa chinensis | red rose (N. District op. ctr. gate) | * |
| Rosa gymnocarpa | woodland rose | |
| Rosa multiflora | white rambling rose (above Inverness) * | |
| Rosa rubiginosa | sweetbriar rose | |
| Rubus armeniacus | "Himalaya" blackberry | * |
| Rubus parviflorus | thimbleberry | |
| Rubus spectabilis | salmonberry | |
| Rubus ulmifolius var. inermis | thornless blackberry | * |
| Rubus ursinus | California blackberry | |
| Sanguisorba minor ssp. muricata | salad burnet | * |
| RUBIACEAE (MADDER FAMILY) | | |
| Galium aparine | goosegrass bedstraw | * |
| Galium californicum ssp. californicum | hairy bedstraw | |
| Galium divaricatum | smooth- fruited annual bedstraw | * |
| Galium murale | sausage- fruited goosegrass | |
| Galium porrigens var. porrigens | climbing bedstraw | |
| Galium spurium | European cleavers | * |
| Galium trifidum var. pacificum | marsh bedstraw | |
| Galium triflorum | sweet-scented forest bedstraw | |
| Sherardia arvensis | field madder | * |

| | |
|---|---|
| RUPPIACEAE (PONDWEED FAMIL) | |
| Ruppia cirrhosa | curly-peduncle pondweed |
| Rupia maritima | widgeon-grass |
| RUSCACEAE (BUTCHERS-BROOM FAMILY) | |
| Maianthemum dilatatum | Pacific may-lily |
| Maianthemum racemosum | fat –Solomon-seal |
| Maianthemum stellatum | slim Solomon-seal |
| RUTACEAE (ORANGE FAMILY) | |
| Choisya ternata | Mexican orange (location?) * |
| Ruta chalepensis | common rue * |
| SALICACEAE (WILLOW FAMILY) | |
| Populus spp. | planted poplars * |
| Salix hookeriana (RSA 98706) | coast willow (J.T. Howell Ledum swamp collection) |
| Salix lasiandra var. lasiandra | yellow willow |
| Salix lasiolepis "var. bigelovii" | coastal form arroyo willow (not recog. in Jeps 2) |
| Salix lasiolepis var. lasiolepis | narrow- leaved arroyo willow |
| Salix scouleriana | Scouler willow (above Inverness) |
| Salix sitchensis | Sitka willow |
| SAPINDACEAE (SOAPBERRY FAMILY) | |
| Aesculus californica | California buckeye |
| Acer macrophyllum | big-leaf maple |
| Acer negundo var. californicum | California box-elder maple |
| SAXIFRAGACEAE (SAXIFRAGE FAMILY) | |
| Boykinia occidentalis | brook-foam (E. Inverness Ridge) |
| Heuchera micrantha | alum- root |
| Lithophragma affine | woodland star |
| Tellima grandiflora | fringe-cups |
| SCROPHULARIACEAE (FIGWORT FAMILY) | |
| Limosella acaulis | mudwort |
| Limosella australis | needle-leaved mudwort LIST 2.1 |
| Scrophularia californica ssp. californica | beeplant, figwort |
| Verbascum thapsus | woolly verbascum * |
| SOLANACEAE (NIGHTSHADE FAMILY) | |
| Datura stramonium | Jimson weed * |
| Nicotiana acuminata var. multiflora | annual tobacco * |
| Nicotiana sp. #2 | tall red-flowered tobacco (Home Ranch) * |
| Salpichroa origanifolia | lily-of-the valley vine * |
| Solanum americanum | shiny-blackberried nightshade |
| Solanum aviculare | purple-flowered bush nightshade * |
| Solanum nigrum | dull-black-berried nightshade |
| Solanum douglasii | white nightshade * |
| Solanum xantii | blue-witch nightshade |
| SPARGANIACEAE (BUR-REED FAMILY) | |
| Sparganium eurycarpum var. eurycarpum | broad-fruit bur-reed |
| Sparganium eurycarpum var. greenei | simple-stem bur-reed |
| TAXACEAE (YEW FAMILY) | |
| Taxus brevifolia | western yew (no voucher exists) |
| TAXODIACEAE (REDWOOD FAMILY) | |
| Metasequoia glyptostroboides | dawn redwood * |

| | | |
|---|---|----------|
| <i>Sequoia sempervirens</i> | coast redwood (Dogtown) | |
| THEMIDACEAE (BRODIAEA FAMILY) | | |
| <i>Brodiaea elegans</i> ssp. <i>elegans</i> | harvest brodiaea (Marshall Beach Rd. area) | |
| <i>Brodiaea terrestris</i> ssp. <i>terrestris</i> | ground brodiaea | |
| <i>Dichelostemma capitatum</i> ssp. <i>capitatum</i> | bluedicks | |
| <i>Dichelostemma congestum</i> | ookow (Tomaes Pt. S. of Elk Range) | |
| <i>Muilla maritima</i> | common muilla | |
| <i>Triteleia hyacinthina</i> | white brodiaea | |
| <i>Triteleia laxa</i> | Ithuriel's spear | |
| <i>Triteleia peduncularis</i> | long-rayed white <i>Triteleia</i> (marshes) | |
| THYMELAEACEAE (DAPHNE FAMILY) | | |
| <i>Dirca occidentalis</i> | leatherwood (poss. erroneous location) | LIST1B.2 |
| TOFIELDIACEAE (TOFIELDIA FAMILY) | | |
| <i>Triantha occidentalis</i> ssp. <i>occidentalis</i> | sticky tofieldia (Bull PoInt marsh) | |
| TROPAEOLACEAE (TROPAEOLUM FAMILY) | | |
| <i>Tropaeolum majus</i> | garden nasturtium (Grossi Ranch dump) | * |
| TYPHACEAE (CATTAIL FAMILY) | | |
| <i>Typha angustifolia</i> | narrow-leaved cattail | |
| <i>Typha domingensis</i> | southern cattail | |
| <i>Typha latifolia</i> | broadleaf cattail | |
| ULMACEAE (ELM FAMILY) | | |
| <i>Ulmus parvifolia</i> (?) | Chinese elm (Palomarin) | * |
| URTICACEAE (NETTLE FAMILY) | | |
| <i>Hesperocnide tenella</i> | western annual slender nettle | |
| <i>Parietaria judaica</i> | pellitory- by- the- wall (Lighthouse) | * |
| <i>Urtica dioica</i> ssp. <i>gracilis</i> | slender perennial stinging nettle | |
| <i>Urtica dioica</i> ssp. <i>holosericea</i> | robust perennial stinging nettle | |
| <i>Urtica urens</i> | annual weedy nettle | * |
| VALERIANACEAE (VALERIAN FAMILY) | | |
| <i>Plectritis congesta</i> ssp. <i>brachystemon</i> | sea blush (Elephant seal trail) | |
| VERBENACEAE (VERBENA FAMILY) | | |
| <i>Phyla nodiflora</i> | creeping verbena, fog-fruit | * |
| VIOLACEAE (VIOLET FAMILY) | | |
| <i>Viola adunca</i> | blue violet | |
| <i>Viola glabella</i> | streamside violet (Inverness Ridge) | |
| <i>Viola pedunculata</i> | Johnny-jump-up | |
| <i>Viola sempervirens</i> | redwood violet (hereunder Bishop Pine) | |
| VISCACEAE (MISTLETOE FAMILY) | | |
| <i>Arceuthobium campylopodium</i> | coastal-pine dwarf mistletoe | |
| VITACEAE (GRAPE FAMILY) | | |
| <i>Parthenocissus quinquefolia</i> | Virginia -creeper (roadside Inverness Park) | * |
| <i>Vitis californica</i> | Ca. wild grape (Elk range cattle guard) | * |
| WOODSIACEAE (WOODSIA FERN FAMILY) | | |
| <i>Athyrium filix-femina</i> | ladyfern | |
| <i>Cystopteris fragilis</i> | brittle fern | |
| ZANNICHELLIACEAE (HORNED PONDWEED FAMILY) | | |
| <i>Zannichellia palustris</i> | horned pondweed | |

ZOSTERACEAE (EEL-GRASS FAMILY)

Phyllospadix torreyi

surf-grass

Zostera marina

eel- grass

Notes

- * Non-native plants or natives planted out of natural native location.
- List 1 Listed, 2008, in the C.N.P.S. Inventory of Rare & Endangered Plants, highest priority.
- List 3 Listed as plants about which more information is needed.
- List 4 Listed as plants of limited distribution.